


1 LOCATION OF WATER WELL: Fraction NE 1/4 NW 1/4 SE 1/4 Section Number 5 Township Number T 12 S Range Number R 25 EW
 County: TREGO

Distance and direction from nearest town or city street address of well if located within city?
BLCK 22 - COLLYER KS - AINSLIE AVE

2 WATER WELL OWNER: TREGO CO HIGHWAY DEPT 1205 MAIN WAKEENY KS 67612
 RR#, St. Address, Box #: GEORGE OTM Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Application Number: -

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 80 ft. ELEVATION: 2508.82
 Depth(s) Groundwater Encountered 1. 71.9 ft. 2. - ft. 3. - ft.
 WELL'S STATIC WATER LEVEL 72.29 ft. below land surface measured on mo/day/yr 10-02-92
 1.2 GPM Pump test data: Well water was NA ft. after - hours pumping - gpm
 Est. Yield NA gpm: Well water was - ft. after - hours pumping - gpm
 Bore Hole Diameter: 7.25 in. to 80 ft., and - in. to - ft.
 WELL WATER TO BE USED AS:
 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes - No X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes - No X

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued - Clamped -
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded -
 7 Fiberglass Threaded X
 Blank casing diameter 2 in. to 55 ft., Dia - in. to - ft., Dia - in. to - ft.
 Casing height above land surface 29 in., weight SCH 40 lbs./ft. Wall thickness or gauge No. -
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)
 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) -
 SCREEN-PERFORATED INTERVALS: From 55 ft. to 80 ft., From - ft. to - ft.
 From - ft. to - ft., From - ft. to - ft.
 SAND GRAVEL PACK INTERVALS: From 48 ft. to 80 ft., From - ft. to - ft.
 From - ft. to - ft., From - ft. to - ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other -
 Grout Intervals: From 3.1 ft. to 48 ft., From - ft. to - ft., From - ft. to - ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage CONTAMINATED
 Direction from well? - How many feet? - FREE PRODUCT

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	SILTY CLAY DR GRAY			
3	15	SILTY CLAY BR-TAN			
15	25	SILTY CLAY			
25	27	SAND			
27	46	SANDY CLAY			
46	55	SILTY CLAY			
55	56	SAND FINE - SANDY CLAY.			
56	60	SAND			
60	64	SANDY CLAY			
64	69	SANDY CLAY IRON STAINS			
69	74.6	SANDY CLAY - SAND - STRONG ODOR - DIESEL			
74.6	80	SANDY CLAY - CALECHI			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 09-09-92 and this record is true to the best of my knowledge and belief. Kansas
 Water Well Contractor's License No. 479 This Water Well Record was completed on (mo/day/yr) 11-02-92
 under the business name of EBBERTS DRILLING by (signature) Angus Elbert

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
R
EW
SEC