

CORRECTION(S) TO WATER WELL RECORD (Form WWC-5)

(to rectify lacking or incorrect information)

LOCATION OF WATER WELL: County: <u>Gove</u>	Fraction <u>¼ NE ¼ NE ¼ NE ¼</u>	Section <u>9</u>	Township <u>T 12 S</u>	Range <u>R 26</u> <input type="checkbox"/> E <input checked="" type="checkbox"/> W
---	-------------------------------------	---------------------	---------------------------	---

Owner: German Baptist Church

Location was listed as:

Sec. 9 T 12 S R 27 E W

Fraction: _____

Location changed to:

Sec. 9 T 12 S R 26 E W

Fraction: _____

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

Verification method: E-mail from NW KS GMD No. 4

initials: JS date: 06-02-2014

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

1 LOCATION OF WATER WELL: County: GOVE	Fraction ¼ NE ¼ NE ¼ NE ¼	Section Number 9	Township No. T 12 S	Range Number R 27 1E (1W)
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here <input type="checkbox"/> 2 MI SOUTH AND 2 MI EAST OF QUINTER. INTERSECTION OF CO RD 76 & CO RD X		Global Positioning System (GPS) information: Latitude: (in decimal degrees) Longitude: (in decimal degrees) Elevation: Datum: <input type="checkbox"/> WGS 84, <input type="checkbox"/> NAD 83, <input type="checkbox"/> NAD 27 Collection Method: <input type="checkbox"/> GPS unit (Make/Model:) <input type="checkbox"/> Digital Map/Photo, <input type="checkbox"/> Topographic Map, <input type="checkbox"/> Land Survey Est. Accuracy: <input type="checkbox"/> <3 m, <input type="checkbox"/> 3-5 m, <input type="checkbox"/> 5-15 m, <input type="checkbox"/> >15 m		
2 WATER WELL OWNER: GERMAN BAPTIST CHURCH RR#, Street Address, Box #: CO RD 76 City, State, ZIP Code : QUINTER, KS 67752				

DPL

3 LOCATE WELL WITH AN "X" IN SECTION BOX:
N

NW	NE	SE	SW
X			

S
1 mile

4 DEPTH OF COMPLETED WELL 73 ft.
 Depth(s) Groundwater Encountered (1)..... ft. (2)..... ft. (3)..... ft.
 WELL'S STATIC WATER LEVEL 51 ft. below land surface measured on mo/day/yr.....
 Pump test data: Well water was.....ft. after..... hours pumping..... gpm
 EST. YIELD 20gpm. Well water was.....ft. after..... hours pumping..... gpm
 Bore Hole Diameter 9in. toft., andin. toft.
 WELL WATER TO BE USED AS: Public water supply Geothermal Injection well
 Domestic Feedlot Oil field water supply Dewatering Other (Specify below)
 Irrigation Industrial Domestic-lawn & garden Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No
 If yes, mo/day/yr sample was submitted.....
 Water well disinfected? Yes No

5 TYPE OF CASING USED: Steel PVC Other
 CASING JOINTS: Glued Clamped Welded Threaded
 Casing diameter .5 in. to .53 ft., Diameter in. to ft., Diameter in. to ft.
 Casing height above land surface .24 in., Weight .160 lbs./ft., Wall thickness or gauge No.
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless Steel PVC Other (Specify)
 Brass Galvanized Steel None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)
 Louvered shutter Key punched Wire wrapped Saw cut Other (specify)
 SCREEN-PERFORATED INTERVALS: From .53 ft. to .73 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From .28 ft. to .73 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other
 Grout Intervals: From 5 ft. to .28 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)
 Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well
 Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well
 Direction from well NW Distance from well 125'

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
0	5	TOPSOIL			
5	18	BROWN CLAY			
18	23	SANDY CLAY			
23	38	SAND			
38	49	SANDY CLAY			
49	72	SAND			
72	73	YELLOW CLAY TO CHERT ROCK			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 3/23/11 and this record is true to the best of my knowledge and belief.
 Kansas Water Well Contractor's License No. 489 This Water Well Record was completed on (mo/day/year) 4/11/11
 under the business name of AQUA PUMP LLC by (signature) *Van M. F...*
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at <http://www.kdheks.gov/waterwell/index.html>.