TI SET		W	ATER WELL RE	CORD F	Form WW		82a-1212 II				***	
		ATER WELL:	Fraction			1	ection Numbe	· ·		Range Numbe		
County: (Ottawa		NE 14			TW 1/4	35	T 12	<u>s</u>	R 3 2	W W	
1			town or city stree				-					
			3/4 miles W		Bennir	ngton, KS						
			y Michaelis									
RR#, St. A City, State			Aspen Rd. Lington, KS		<u> </u>			Board of A Application		Division of Water Re	source	
3 LOCATE	WELL'S L						ft. ELE\	/ATION:				
AN "X"	IN SECTION	ON BOX:	Depth(s) Grour	idwater Enc	ountered	1	1	ft. 2	ft. 3	<i>.</i>	ft.	
WELL'S STATIC WATER LEVEL 80 ft. below land surface measured on mo/day/yr 6/12 Pump test data: Well water was ft. after hours pumping												
		NE	Est. Yield	10 apm	n: Well w	ater was		after	hours	oumping	anm	
		!	Bore Hole Dian	eter9in. to128ft., a				., and	andft.			
<u></u> ₩ —		<u>-</u> - E		TO BE USED AS: 5 Public water supply 8								
X Domestic												
	- sw	SE	2 Irrigation	4 Indus	strial	7 Domestic (la	wn & garden)	10 Monitoring well				
	!	!	Mas a chemical	hactoriologic	al cample	submitted to D	onadmont? V	no No V	. If was m	no/day/yrs sample w		
•	<u>' </u>	<u> </u>	mitted	bacteriologic	ar sample	Submitted to D		ter Well Disinfected			as sud	
5 TYPE C	OF BLANK	CASING USED:		5 Wrought	tiron	8 Cond	rete tile			ed x Clamped.		
1 Stee	el	3 RMP (S	R)	6 Asbesto			r (specify bel			ded		
X PVC	;	4 ABS		7 Fibergla	ss					aded		
Blank cas	sing diamet	er .5	in. to 1	0.8 ft.	., Dia		n. to			in. to	ft	
										.214		
1			TION MATERIAL				/C		estos-cem			
1 Steel 3 Stainless steel							MP (SR)			specify)		
2 Brass 4 Galvanized steel				6 Concrete tile 9 AB						used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:				5 Gauzed wrapped				8 Saw cut		11 None (open ho	ole)	
1	tinuous slo		6 Wire wrapped				9 Drilled holes					
	vered shut		ey punched	7 Torch cut 108 ft., Fron								
SCREEN-	-PERFOR	ATED INTERVA	LS: From	108	ft. to	! <i>2</i> 8 .	ft., Fro	m	ft. t	0	ft.	
	GRAVEL I	PACK INTERVAL	From	20	ft. to	128	tt., Fro	m		o	ft.	
	GIIAVEE I	AOR INTERVA	From		ft. to		ft., Fro	m	It. t ft. t	0	It.	
6 GROUT	MATERIA	AL: 1 Neat c										
igsquare										ft. to		
1					rioni							
What is the nearest source of possible contamination 1 Septic tank 4 Lateral lines							10 Livestock pens 11 Fuel storage			14 Abandoned water well 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool				7 Pit privy 8 Sewage lagoon				12 Fertilizer storage		↑ Other (specify below)		
3 Watertight sewer lines 6 Seepage pit				9 Feedyard			_				,	
l .	from well?			9 Feedyard				2 22				
FROM	TO	TATE CITATION	LITHOLOGIC LO)G		FROM	TO		IGGING IN	NTERVALS		
	·	+	LITTIOLOGIC L			FROM	10	r Li	Jadina ii	VIERVALO		
0	2	Topsoil										
2	12	Tan Clay										
12	21	Gray Sha				·····						
21	42	Sandston					 		• • • • • • • • • • • • • • • • • • • •			
42	83	Gray Sha								· · · · · · · · · · · · · · · · · · ·		
83	101	Red Shal										
101	128	Sandston										
	128	Hard Roc	:K				1					
		+										
		+					1					
		1										
		+										
							 					
7 CONTRA	ACTORIC (OR LANDOWNIE	D'S CEDTIFICAT	ION: This	unter well	was M sare	ruoted (2) ==	constructed or (a)	nlugged ::=	der my jurisdiction a	nd was	
												
										owledge and belief.	nalisas	
						well Hecord w		d on (mo/day/yr)		17/		
unaer the b	ousiness na	ame of Peter	son Irriga	tion, I	nc.		by (:	signature)	pall	belless		
INSTRUCT	FIONS: Use typ	ewriter or ball point per	n. <i>PLEASE PRESS FIF</i>	MLYand PRIN	Clearly. Plea	se fill in blanks, und	derline or circle the	correct answers. Send top	three copies to	Kansas Department of Hea	ith and	

Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.