CORRECTION TO WATER WELL RECORD (WWC-5)

The following correction(s) was made to the attached WWC-5 log, in order to file the item or to rectify lacking or incorrect information.

Fraction (1/4 1/4) Section-Township-Range changed.
listed as
changed to
Other changes: Initial statements: <u>Saline County</u>
Changed to: Ottawa County
Comments:
verification method: Written & legal descriptions, position on plat map,
verification method: Written & legal descriptions, position on plat map, and Trenton 1:24,000 teps map. initials: Off date: 4/17/2002
submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment Bureau of Water Industrial Programs, Bldg 283, Forbes Field, KS 66620

		TER WELL RECORD	Form WWC-5	KSA 82a-	12.12	
LOCATION OF WATER WELL		0-		ion Number	Township Number	Range Number
ounty: Saline	I SE		E 1/4	30	TIZS	R 3 E
istance and direction from near	1		,	ブ . フ	A T 1.	
/3 mi.	' MA . ' ' 1 ' '		os and	1-1	O Junetion	
	Martin Wel	13,				
		public, lot 74			•	e, Division of Water Resource
	Saliny , Ks.		1110		Application Numbe	<u>r:</u>
LOCATE WELL'S LOCATION AN "X" IN SECTION BOX:	WITH DEPTH OF	COMPLETED WELL	/.7.2.	. ft. ELEVAT	TION:/Y./	
AIT A IIT GEOTION BOX:						. 3
						yr 8-29-97
NW NF -						pumping2.5 gpm
	Est. Yield	んの.ナ. gpm: Well wate	rwas	ft. af	ter hours	pumping gpm
w ! ! ! !	Bore Hole Dia	ameter / Øin. to	·····7.W	ft., a	nd	.in. to
" ! ! !			5 Public water			1 Injection well
	_ / Pomes	tic 3 Feedlot	6 Oil field water	er supply	9 Dewatering 1	2 Other (Specify below)
3" 3" -	2 Irrigation	on 4 Industrial	7 Lawn and ga	arden only 1	0 Monitoring well	
	Was a chemic	al/bacteriological sample s	submitted to De	partment? Ye	s; If y	es, mo/day/yr sample was sul
S	mitted			Wat	er Well Disinfected? (Yes)	No
TYPE OF BLANK CASING US	SED:	5 Wrought iron	8 Concret	e tile	CASING JOINTS: GI	uedClamped
1 Steel 3 Ri	MP (SR)	6 Asbestos-Cement	9 Other (s	specify below) W	elded
PVC 4 AE	BS	7 Fiberglass			Th	readed
ank casing diameter	5 in. to / / .	5 ft., Dia	in. to .		ft., Dia	in. to ft.
ising height above land surface	e /8	in., weight		lbs./f	t. Wall thickness or gauge	No. 5 D.R. 26
PE OF SCREEN OR PERFOR	RATION MATERIAL:		⊘ PVC		10 Asbestos-ce	A 12 12 12 12 12 12 12 12 12 12 12 12 12
1 Steel 3 St	tainless steel	5 Fiberglass	8 RMF	P (SR)	11 Other (speci	fy)
2 Brass 4 Ga	alvanized steel	6 Concrete tile	9 ABS		12 None used	(open hole)
REEN OR PERFORATION O	PENINGS ARE:	5 Gauze	ed wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire	wrapped		9 Drilled holes	., .
2 Louvered shutter	4 Key punched	7 Torch	cut		10 Other (specify)	
REEN-PERFORATED INTERV	VALS: From	/35 ft. to	115	ft., From)	. toft.
	From	ft. to		ft From		. toft.
GRAVEL PACK INTER	VALS: From		9 0			
GRAVEL PACK INTER	VALS: From From	70 ft. to	9 0		1 f	t. to
GROUT MATERIAL: 1	From Neat cement	70 ft. to 2 Cement grout	(3)Benton	ft., Fron	1	t. to
GROUT MATERIAL: 1	From Neat cement	70 ft. to 2 Cement grout	(3)Benton	ft., Fron	1	. to
GROUT MATERIAL: 1 out Intervals: From96	From Neat cement Oft. to7.0	2 Cement grout ft., From	(3)Benton	ft., Fron	1	t. to
GROUT MATERIAL: 1 out Intervals: From 96 hat is the nearest source of po	From Neat cement Oft. to7.0	2 Cement grout ft., From	(3)Benton	ft., From	1	t to
GROUT MATERIAL: 1 rout Intervals: From	From Neat cement O ft. to 7.0 essible contamination:	70 ft. to 2 Cement grout ft., From	3 Benton 3 Co ft. to	ft., From ft., From ite 4 (b	1	to
GROUT MATERIAL: 1 rout Intervals: From	From Neat cement O ft. to 7.0 essible contamination: Lateral lines Cess pool	70 ft. to 2 Cement grout ft., From	3 Benton 3 Co ft. to	ft., From ft., From ite 4 (c) 10 Liveste 11 Fuel s 12 Fertiliz	1	t to
GROUT MATERIAL: 1 put Intervals: From 90 1 septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6	From Neat cement Oft. to 7.0 essible contamination: Lateral lines Cess pool Sepage pit	70 ft. to 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Benton 3 Co ft. to	ft., From ft., From ite 4 (c) 10 Liveste 11 Fuel s 12 Fertiliz	0 ff 1 ff 1	to ft. to ft. Abandoned water well Oil well/Gas well Other (specify below)
GROUT MATERIAL: out Intervals: From 96 nat is the nearest source of po 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 rection from well?	From Neat cement O ft. to 7.0 essible contamination: Lateral lines Cess pool	70 ft. to 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Benton 3 Co ft. to	ft., From ft., F	Other	to ft. to ft. Abandoned water well Oil well/Gas well Other (specify below)
GROUT MATERIAL: out Intervals: From 96 nat is the nearest source of po 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 rection from well?	From Neat cement ft. to	70 ft. to 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Benton O ft. to	ft., From ft., From ite 4 (Other	toft. to ft. ft. to ft. Abandoned water well Oil well/Gas well Other (specify below)
GROUT MATERIAL: 1 out Intervals: From	From Neat cement ft. to	70 ft. to 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Benton O ft. to	ft., From ft., From ite 4 (Other	toft. to ft. ft. to ft. Abandoned water well Oil well/Gas well Other (specify below)
GROUT MATERIAL: 1 out Intervals: From 96 nat is the nearest source of po 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 rection from well? FROM TO 5 66	From Neat cement	70 ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Benton 70 ft. to	ft., From ft., From ite 4 (Other	toft. to ft. ft. to ft. Abandoned water well Oil well/Gas well Other (specify below)
GROUT MATERIAL: 1 out Intervals: From 96 nat is the nearest source of po 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 rection from well? FROM TO 5 5 6 6 6 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7	From Neat cement	70 ft. to 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Benton 70 ft. to	ft., From ft., From ite 4 (Other	toft. to ft. ft. to ft. Abandoned water well Oil well/Gas well Other (specify below)
GROUT MATERIAL: 1 out Intervals: From 90 hat is the nearest source of point 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 rection from well? FROM TO 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	From Neat cement	70 ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Benton 70 ft. to	ft., From ft., From ite 4 (Other	toft. to ft. ft. to ft. Abandoned water well Oil well/Gas well Other (specify below)
GROUT MATERIAL: fout Intervals: From	From Neat cement	70 ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Benton 70 ft. to	ft., From ft., From ite 4 (Other	toft. to ft. ft. to ft. Abandoned water well Oil well/Gas well Other (specify below)
GROUT MATERIAL: 1 rout Intervals: From	From Neat cement	70 ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Benton 70 ft. to	ft., From ft., From ite 4 (Other	toft. to ft. ft. to ft. Abandoned water well Oil well/Gas well Other (specify below)
GROUT MATERIAL: 1 out Intervals: From 96 nat is the nearest source of po 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 rection from well? 5 30 50 30 37 had 37 40 (6) 40 72 56 72 82 56 72 83 56	From Neat cement	70 ft. to 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard IC LOG Clay Sine Soft Stone White - Wellow First Shole First Shole	3 Benton	ft., From ft., From ite 4 (Other	toft. to ft. ft. to ft. Abandoned water well Oil well/Gas well Other (specify below)
GROUT MATERIAL: 1 out Intervals: From	From Neat cement	70 ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Benton	ft., From ft., From ite 4 (Other	to to ft. to ft. to ft. Abandoned water well Oil well/Gas well Other (specify below)
GROUT MATERIAL: out Intervals: From 96 nat is the nearest source of po 1 Septic tank	From Neat cement	70 ft. to 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard IC LOG Clay Sine Soft Stone White - Wellow First Shole First Shole	3 Benton	ft., From ft., From ite 4 (Other	to to ft. to ft. to ft. Abandoned water well Oil well/Gas well Other (specify below)
GROUT MATERIAL: out Intervals: From 96 at is the nearest source of po 1 Septic tank	From Neat cement	70 ft. to 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard IC LOG Clay Sine Soft Stone White - Wellow First Shole First Shole	3 Benton	ft., From ft., From ite 4 (Other	to
GROUT MATERIAL: out Intervals: From 96 nat is the nearest source of po 1 Septic tank	From Neat cement	70 ft. to 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard IC LOG Clay Sine Soft Stone White - Wellow First Shole First Shole	3 Benton	ft., From ft., From ite 4 (Other	to
GROUT MATERIAL: 1 out Intervals: From 96 nat is the nearest source of po 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 rection from well? 5 30 50 30 37 had 37 40 (6) 40 72 56 72 82 56 72 83 56	From Neat cement	70 ft. to 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard IC LOG Clay Sine Soft Stone White - Wellow First Shole First Shole	3 Benton	ft., From ft., From ite 4 (Other	to
GROUT MATERIAL: out Intervals: From 96 nat is the nearest source of po 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 rection from well? FROM TO 5 6 30 37 had 34 40 (6 40 72 56 72 82 56	From Neat cement	70 ft. to 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard IC LOG Clay Sine Soft Stone White - Wellow First Shole First Shole	3 Benton	ft., From ft., From ite 4 (Other	to
GROUT MATERIAL: 1 out Intervals: From 96 nat is the nearest source of po 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 rection from well? 5 30 50 30 37 had 37 40 (6) 40 72 56 72 82 56 72 83 56	From Neat cement	70 ft. to 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard IC LOG Clay Sine Soft Stone White - Wellow First Shole First Shole	3 Benton	ft., From ft., From ite 4 (Other	to
GROUT MATERIAL: out Intervals: From 96 nat is the nearest source of po 1 Septic tank	From Neat cement I to 7.0 Sesible contamination: Lateral lines Cess pool Seepage pit LITHOLOG SS CLITHOLOG SS CLITHOLOG	70 ft. to 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard IC LOG Clay Schoole Schoole Fixed School Fixed Schoo	3 Benton 3 Benton 7 C ft. to	tt., From ft., F	Other	to ft. to ft. to ft. to ft. Abandoned water well Oil well/Gas well Other (specify below) As
GROUT MATERIAL: out Intervals: From 96 nat is the nearest source of po 1 Septic tank	From Neat cement I to 7.0 Sesible contamination: Lateral lines Cess pool Seepage pit LITHOLOG SS CLITHOLOG SS CLITHOLOG	70 ft. to 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard IC LOG Clay Schoole Schoole Fixed School Fixed Schoo	FROM FROM Grant Construct The second construct of t	tt., From ft., F	Other	to ft. to ft. The state of the
GROUT MATERIAL: put Intervals: From	From Neat cement O. ft. to 7.0 possible contamination: Lateral lines Cess pool Seepage pit LITHOLOG SEEPAGE POOL SEEPAGE P	70 ft. to 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard IC LOG IC	FROM FROM Con FROM Con Con Con Con Con Con Con Co	tt., From ft., From ft., From ft., From ite 4 (2) 10 Liveste 11 Fuel s 12 Fertiliz 13 Insecti How man TO red, (2) recor and this record	Other	to ft. to ft. Abandoned water well Oil well/Gas well Other (specify below)
GROUT MATERIAL: 1 out Intervals: From 96 nat is the nearest source of po 1 Septic tank	From Neat cement O. ft. to 7.0 possible contamination: Lateral lines Cess pool Seepage pit LITHOLOG SEEPAGE POOL SEEPAGE P	70 ft. to 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard IC LOG IC	FROM FROM Con FROM Con Con Con Con Con Con Con Co	tt., From ft., From ft., From ft., From ite 4 (2) 10 Liveste 11 Fuel s 12 Fertiliz 13 Insecti How man TO red, (2) recor and this record	Other	to ft. to ft. The state of the