WATE	R WE	LL RECORD	Form W	WC-5	D	ivision of Water	r Resources App. N	0.	
1 LOC	CATION	OF WATER WELL:	Fraction NW 1/4 SE 1/4 NE		Sect			Range Number	
County: Ottawa					Global Positioning System (GPS) information:				
Street/Rural Address of Well Location; if unknown, distance & from nearest town or intersection: If at owner's address, check I 1649 Ottawa Rd. Saline County Line					Latit	Latitude: 38,962905 (in decimal degrees) Longitude: 97.622647 (in decimal degrees) Elevation: 1410 FT			
						Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Lee Weis Construction						Collection Method:			
RR#, Street Address, Box #: 6779 W. Falun Rd.					GPS unit (Make/Model:)				
City, State, ZIP Code : Falun. Kansas 67442					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOC			COMPLETED WEL	т. 180		· · · · · · · · · · · · · · · · · · ·			
WITH AN "X" IN SECTION BOX: N Depth(s) Groundwater Encountered (1)								(3) ft.	
220	N	WELL'S STAT	IC WATER LEVEL	t. below	below land surface measured on mo/day/yr.4/23/20.15				
		Pumr	test data: Well water	er was		t. after	hours pum	ping gpm	
	<u>,</u> ,	EST. YIELD. 20/30.gpm. Well water was							
w IN	w r				80ft., andin. toft.				
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
	. I x							Other (Specify below)	
Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes My No									
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? ☑ Yes ☐ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From 20 ft. to 180 ft., From ft. to ft.									
			From	ft. to		ft., From	ft.	to ft.	
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other									
	itervals:	From ft. to	20 ft., Fron	n	. ft. to	ft.,	From	ft. toft.	
		est source of possible conta							
	Septic tank							ier (specify below)	
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well									
Direc	ction fro	u Couth				ell500.ft		***************************************	
FROM	ТО	LITHOLOG		FROM	TO			JGGING INTERVALS	
0	3	Topsoil							
3	22	Clay, sandstone mix							
22	68	Sandstone							
68	69	Sandstone- hard							
69	180	Sandstone, soft-mediu	<u>n</u>						

			····						
# CC:	ED 4 CT	ODIC OD I AND OTTOTT	on OEDWAYS	<u> </u>		1			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year) .4/23/2015 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No									
under th	CTIONS.	I lee typewriter or half point	NTRH.PUMUH.IJV	Vand DDTAPT	by (signature) .	of short the	anguage Condinate	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
		6-5524. Send one copy to WATI							
			http://www.kdheks.go			***************************************		,	
SA 82 a- 1	1212	YA MBO DA							
		and the second of the							