WATE	R WEI	LL RECORD	Form WV	VC-5	Division o	f Water	Resources App. No	7147	
		OF WATER WELL:	Fraction		Section Num		Township No.	Range Number	
Coun	ity: GO	/E	1/4 SE 1/4 NW	14 NE 14	36		T 12 S	R 30 □E 🗹W	
Stree	t/Rural A	Address of Well Location; i	oning	System (GPS) in	formation:				
from	own or intersection: If at o	owner's address, check	Latitude: (in decimal degrees)						
FROM GOVE: 5 MILES WEST, 1 MILE NORTH					Longitude: (in decimal degrees)				
			Elevation:						
2 33/4	ELLOWNED.		<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27						
2 WATER WELL OWNER: PETER ZERR RR#, Street Address, Box #: PO. BOX 222					Collection Method:				
		TD C 1			☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City	, State, Z	GRAINE	FIELD. KS 67737		Est Accuracy: $\square$ <3 m, $\square$ 3-5 m, $\square$ 5-15 m, $\square$ >15 m				
3 LOCATE WELL									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 53									
SECTION BOX: Depth(s) Groundwater Encountered (1)									
	Pump test data: Well water wasft. after hours pumping								
EST. YIELD. 275gpm. Well water was									
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well									
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes Y No									
S If yes, mo/day/yr sample was submitted									
<del> </del>	1 mile		fected?  Yes  N						
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter 8 in. to .33 ft., Diameter in. to									
Casing height above land surface. 18									
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)									
			None used (onen ho		Outer (Specify)			•••••	
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
			From ft	. to	ft., Fr	om	ft. (	to ft.	
6 GRO	UT MA	TERIAL: Neat ceme	ent Cement grout	Bentor	ite 🔲 Other				
Grout In		From .0 ft. to	. 20 ft., From		ft. to	ft.,	From	. ft. toft.	
What is	the near	est source of possible conta			_				
	Septic ta			Livestock p	_			er (specify below)	
	Sewer li			Fuel storag			water well s well NON	Œ	
		ht sewer lines 🔲 Seepage p		Fertilizer st					
		m well					C (+) DI II		
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITE	10. LC	Cont.) or PLU	GGING INTERVALS	
0	5	TOPSOIL							
5	15	TAN CLAY							
15	20	SILTY / SANDY CLAY							
20	30	SAND						····	
30	52	SAND & GRAVEL							
52	53	SHALE							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year) .6/10/2013 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 489 This Water Well Record was completed on (mo/day/year)									
under the business name of AQUA PUMP LLC by (signature) korz m. substitution									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
			ER WELL OWNER and re	tam one for y	our records. Incl	iuoe <u>iee</u>	2 dace tor ov.ce to	onsurucica well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									
NOA 028	-1212				CHOCK.	۲۳ <sup>۱۱</sup>	COPJ, DI	COPJ, L. I.IIK COPJ	