1 LOCATIO	N OF WATER	WELL:	Fraction	Section Number	Township Number	Range Number	
∟ ^{County:} Gove			SE 1/4NW 1/4NW 1/4	4	12		
Distance and direction from nearest town or city street address of well if located within city?							
5 miles S. of Oakley- Chapel Rd. go east 4½ miles							
WATER WELL OWNER: Mike Nollette							
RR#, St. Address, Box #: 3010 Co Rd. 360 Board of Agriculture, Division of Water Resources City, State, ZIP Code: Monument, KS 67748 Application Number:							
MARK WELL'S LOCATION WITH 4 DEPTH OF WELL1.08							
	WELL WAS USED AS:						
1 Domestik 5 Public Water Supply 9 Dewater						ng	
W			2 Irrigation		Supply 10 Monitori	ng Well n Well	
S W S E Was a chemical/bacteriological sample submitted to Department? If yes, mo/day/yr sample was submitted						nt? YesNo.X.	
	Water Well Disinfected: Yes.X No						
5 TYPE OF BLANK CASING USED:							
1 Steel 3 RMP (SR) 5 Wrought 7 Fiberglass 9 Other (specify below) 2 PVC 4 ABS 6 Asbestos-Cement 8 Concrete Tile							
Blank casing diameter4in. Was casing pulled? Yes.X No If yes, how much3.tin.							
6 GROUT PLUG MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Plug Intervals: From3ft. to6ft., Fromft. toft., From							
What is the nearest source of possible contamination:							
1 O O D D D D D D D D D D D D D D D D D						pecify below)	
Direction from well? How many feet?							
FROM TO PLU			UGGING MATERIALS			·	
108	93	sand					
93	6	clean s	soil				
6	3	neat gi	cout				
3	0	backfil	ll w/soil				
	,		•				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year)7_13_0.7							
INSTRUCTIONS: Use typewriter or ball point pen. <u>Please press firmly</u> and <u>print</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913/296-3565. Send one to Water Well Owner and retain one for your records.							