		RECORD	Form WWC-	5 Di	vision of	Water Resou	irces App. No.	20110	409	
L	gan	WATER WELL:	SW 1/4 NW 1/4 SE 1/	4 NE 1/4	8	}	т 12	umber Range	32 □E ⊠W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here From Oakley—5 south, 2 west, 1.5 south						Global Positioning System (GPS) information: Latitude: (in decimal degrees) Longitude: (in decimal degrees) Elevation:				
RR#. S	t. Address.	OWNER Merle & Box # 121 Cher ode Oakley,	rrv Ave		Datum: □ WGS 84, □ NAD 83, □ NAD 27 Collection Method: □ GPS unit (Make/Model: □ Digital Map/Photo, □ Topographic Map, □ Land Survey Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m					
3 LOCATE WELL										
l .	AN "X" I		COMPLETED WELL		45	;	ft.			
SECT	ON BOX:	Depth(s) Ground	water Encountered (1)		f	t. (2)	f	t. (3)	ft.	
ļ <u></u>	N	WELL'S STATI	C WATER LEVEL	ft	. below la	ind surface m	neasured on me	o/day/yr		
		Pun	p test data: Well water	er was		ft. after	hours	s pumping	gpm	
	+ NEX-	WELL WATER	gpm: Well wate	Public water	e cupply	II. after	hours	S pumping	gpm	
W +	+ +	E Domestic	Feedlot MOil field w	r supply Geothermal Injection well Dewatering Other (Specify below) arden Monitoring well				r fv helow)		
⊢sw		¹ Irrigation □	Industrial Domestic	Domestic-lawn & garden			☐ Monitoring well			
		Was a chemical/	oacteriological sample su	bmitted to D	epartmen	ıt? ∐Yes	ĭ≱i No			
	3	If yes, mo/o	lay/yr sample was submit	ted						
1 mile Water Well Disinfected? Yes □ No										
5 TYPE C	OF CASING	SUSED: Steel	✓ PVC ☐ Oth	er			-			
Casing diameter 4.5 in, to 5 ft. Diameter in to ft Diameter in to ft										
CASING JOINTS: Glued Clamped										
11 YPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☒ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot										
Cor	tinuous Slot	Mill slot	☐ Gauze wrapped	☐ Torch cu	ıt [Drilled hol	les 🔲 Noi	ne (open hole)	i	
SCREEN-P	ERFORATE	ED INTERVALS:	From 5	ft. to	45	∪tner (spe ft Fron	n	ft. to	ft.	
			From	ft. to		ft., Fron	n	ft. to	ft.	
GRA	AVEL PACE	K INTERVALS:	From 10	ft. to	45	ft., Fron	n	ft. to	ft.	
(CDOM	PACATERI	AT. DY	From	11.10	•	II., Fron	n 	II. to	п.	
6 GROUT MATERIAL: ☐ Neat cement Cement grout ☐ Bentonite ☐ Other Grout Intervals From 0 ft. to 10 ft. From ft. to ft. From ft. to ft.									ft	
What is the nearest source of possible contamination:										
	tic tank øer lines	☐ Lateral lin		Livestoc		☐ Insectic			ecify below)	
		☐ Cesspool er lines ☐ Seepage p	☐ Sewage lagoon it ☐ Feedyard	☐ Fuel stol		☐ Oil well	ned water well	None		
Direction from well Distance from well										
FROM	TO		LOGIC LOG	FROM	TO	LITHO. I	LOG (cont.) or	PLUGGING	INTERVALS	
0		Surface								
12		Loess Fine & med sand v	v/sandstone strks			+				
33	50	Yellow ochre/black								
7 CONTE	ACTOR	CODIANDOWN	PDIC CEDITION	ON. Thi				muntad D	lugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or □ plugged under my jurisdiction and was completed on (mo/day/year) 9/1/11 and this record is true to the best of my knowledge and belief.										
Kansas Wat	er Well Con	tractor's License No.	554 This	Water Well	Record w	vas complete	d on (mo/day/	vear)9	- 12-11	
under the bi	usiness name	of Woofter Pump	& Well Inc.	by (signat	ure)	Jai	16, apr	JA-		
INSTRUCTI	ONS: Please 1	fill in blanks and check the	correct answers. Send three	copies (white,	blue, pink)	to Kansas De	epartment of He	alth and Environ	ment, Bureau of	
Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.										

Check: ☐ White Copy, ☐ Blue Copy, ☐ Pink Copy