

1	LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
	County: Logan	NE 1/4 NE 1/4 NW 1/4	34	T 12 S	R 36 E/W

Distance and direction from nearest town or city street address of well if located within city?
 3 1/2 miles west & 5 3/4 miles south of Winona

2	WATER WELL OWNER: Larry Curtis	Board of Agriculture, Division of Water Resources
	RR#, St. Address, Box # : 7222 W. Stanford Ave.	Application Number:
	City, State, ZIP Code : Littleton, CO. 80123	

3	LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4	DEPTH OF COMPLETED WELL 35 ft. ELEVATION:
---	--	---	---

Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL 1.8 ft. below land surface measured on mo/day/yr 4-20-05

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic <input checked="" type="checkbox"/>	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)
		9 Dewatering
		12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5	TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped
	1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
	2 PVC <input checked="" type="checkbox"/>	4 ABS	7 Fiberglass	Welded
	Blank casing diameter 5 in. to 2.5 ft., Dia in. to ft., Dia in. to ft.			Threaded
	Casing height above land surface 2.4 in., weight 2.6 lbs./ft. Wall thickness or guage No. 1/2 "			
	TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Fiberglass	8 RMP (SR)	10 Asbestos-Cement
	1 Steel	3 Stainless Steel	6 Concrete tile	9 ABS
	2 Brass	4 Galvanized Steel		11 Other (Specify)
	SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut <input checked="" type="checkbox"/>	11 None (open hole)
	1 Continuous slot	3 Mill slot	9 Wire wrapped	
	2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify) ft.
	SCREEN-PERFORATED INTERVALS: From 3.5 ft. to 2.5 ft., From ft. to ft.			
	GRAVEL PACK INTERVALS: From 3.5 ft. to 1.8 ft., From ft. to ft.			

6	GROUT MATERIAL:	1 Neat cement <input checked="" type="checkbox"/>	2 Cement grout	3 Bentonite	4 Other
	Grout Intervals: From 3 ft. to 1.8 ft., From ft. to ft., From ft. to ft.				
	What is the nearest source of possible contamination:			10 Livestock pens	14 Abandoned water well
	1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well
	2 Sewer lines <input checked="" type="checkbox"/>	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	
	Direction from well? SW			How many feet? 250	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	10	top soil			
10	20	clay			
20	32	course sand			
32	35	shale			

7	CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-20-05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 649 This Water Well Record was completed on (mo/day/yr) 5-03-05 under the business name of Bartell Drilling by (signature) <i>Raylene Bartell</i>
---	--

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send to three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.