

1 LOCATION OF WATER WELL
 County: Wallace Fraction SW 1/4 SW 1/4 NW 1/4 Section Number 11 Township Number T 12 S Range Number R 40 E

Distance and direction from nearest town or city? 9 M North of Shanon Springs Street address of well if located within city?

2 WATER WELL OWNER: Sid Mills
 RR#, St. Address, Box # : Shanon Springs, Ks 67758
 City, State, ZIP Code :
 Board of Agriculture, Division of Water Resources
 Application Number:

3 DEPTH OF COMPLETED WELL 141 ft. Bore Hole Diameter 8 in. to 141 ft. and in. to ft.
 Well Water to be used as:
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 7 Lawn and garden only 10 Observation well
 Well's static water level ft. below land surface measured on 5 month 15 day 1981 year
 Pump Test Data Not tested: Well water was ft. after hours pumping. gpm
 Est. Yield Not tested gpm: Well water was ft. after hours pumping. gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing dia 5 in. to 121 ft. Dia in. to ft. Dia in. to ft.
 Casing height above land surface 18 in., weight 18/10 lbs./ft. Wall thickness or gauge No. 1/4"
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)
 9 ABS 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 Screen-Perforation Dia 5 in. to 121-141 ft. Dia in. to ft. Dia in. to ft.
 Screen-Perforated Intervals: From 181 ft. to 141 ft. From ft. to ft.
 From ft. to ft. From ft. to ft.
 Gravel Pack Intervals: From 18 ft. to 141 ft. From ft. to ft.
 From ft. to ft. From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From 4 ft. to 18 ft. From ft. to ft. From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below) pasture
 13 Watertight sewer lines
 Direction from well How many feet ? Water Well Disinfected? Yes No
 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample
 was submitted month day year: Pump installed? Yes No
 If Yes: Pump Manufacturer's name Model No. HP Volts
 Depth of Pump Intake windmill well ft. Pumps Capacity rated at gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was
 completed on 5 month 15 day 1981 year
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 139
 This Water Well Record was completed on 6 month 23 day 1981 year under the business
 name of Bartell Drilling by (signature) Jay Bartell

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	FROM		LITHOLOGIC LOG	TO		LITHOLOGIC LOG
	0	45		FROM	TO	
	0	45	Top Soil			
	45	76	Sand Clay & Sand Strips			
	76	83	Sand Rock			
	83	137	Sand Rock & Sand Strips			
	137	141	OKen			

ELEVATION:
 Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
H
40
EMD
SEC
S
1/4
SW
1/4
NW
1/4
NE
1/4
SE
1/4
E