KOLAR Document ID: 1600979

WATER WELI			WWC-5		vision of Wate						
Original Record	Correction		ge in Well Use		ources App. N			Well ID			
1 LOCATION OF WATER WELL:			Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$		ction Numbe	1			e		
County: 2 WELL OWNER		$\frac{T S R \Box E \Box W}{\text{aral Address where well is located (if unknown, distance and}}$									
					irection from nearest town or intersection): If at owner's address, check here:						
Address:				uncetion non							
Address:		G	700								
City: 3 LOCATE WELL		State:	ZIP:								
WITH "X" IN			IPLETED WELL: .		· · · · · · · · · · · · · · · · · · ·						
SECTION BOX:		roundwater		Longitude:							
Ν		π. TATIC WA	Dry Well	Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:							
			-yr)		GPS (unit make/model:)						
NW NE	above above	land surface	-yr)		(WAAS enabled? Yes No)						
	-	lata: Well w			Land Survey Topographic Map						
W X	E after	hours Well v			Online Mapper:						
SW SE	after	hours									
		Yield:	61		6 Elevation:ft. Ground Level TOC						
S		Diameter:		Sourc	Source: \Box Land Survey \Box GPS \Box Topographic Map						
1 mile											
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
□ Household											
🗌 Lawn & Garden	n & Garden 7. 🗌 Aquifer Recharge: well ID					\Box Cased \Box Uncased \Box Geotechnical					
Livestock		8. Monitoring: well ID					: how many bores				
2. Irrigation	9. Environmental Remediation: well ID .				a) Closed Loop Horizontal Vertical						
 ∃ Feedlot Industrial 	□ Air Sparge □ Soil Vapor Extraction □ Recovery □ Injection					b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Ves No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
Steel Steinless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Nearest source of pos			potential source of con			•••••	11. 10	11.			
Septic Tank		Lateral Line			Livestock Pe	ens	☐ Insectio	ide Storage			
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well											
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well											
Direction from well? ft.											
10 FROM TO		LITHOLO		FROM	TO		O. LOG (cont.) or		G INTERVALS		
					┨───┤						
					+ +						
	+			Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)											
under my jurisdictio	n and was comp	leted on (n	no-day-year) 	\dots and \dots and \dots	this record	is true	to the best of m	y knowled	ge and belief.		
			1 mis wa								
	Send one copy t	o WATER W	ELL OWNER and retain	one for your re	cords. Fee of \$5	5.00 for	each constructed we	ll.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											