KOLAR Document ID: 1420161

WATER WELL		WWC-5		ivision of Water	1			
Original Record		ge in Well Use		esources App. N		Well ID		
1 LOCATION OF	WATER WELL:	Fraction		ection Number	1		ge Number	
County:		1/4 1/4 1/4	1/4				□ E □ W	
2 WELL OWNER	: Last Name:			treet or Rural Address where well is located (if unknown, distance and				
Business: Address:			direction froi	n from nearest town or intersection): If at owner's address, check here:				
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEDTH OF COL	MPLETED WELL: .		ft 5 T a4:4	J.,		/1 · 11	
WITH "X" IN					5 Latitude:			
SECTION BOX:	Depth(s) Groundwater Encountered: 1)				Datum: WGS 84 NAD 83 NAD 27			
N	WELL'S STATIC WATER LEVEL:				for Latitude/Longitude		AD 21	
	below land surface, measured on (mo-day-yr				GPS (unit make/model:)			
NW NE	above land surface, measured of				(WAAS enabled?] Yes \square N	io)	
	- C 1	vater was ft		☐ Land Survey ☐ Topographic Map				
W		after hours pumping g Well water was ft.			Online Mapper:			
SW SE		s pumping						
	Estimated Yield:		Spin	6 Elevat	6 Elevation :ft. ☐ Ground Level ☐ TOC			
S		in. to	. ft. and	Source	Source: Land Survey GPS Topographic Map			
mile		in. to						
7 WELL WATER TO BE USED AS:								
1. Domestic:		ater Supply: well ID			Field Water Supply: 16			
Household	6. Dewaterir			11. Test Hole: well ID				
Lawn & Garden	echarge: well ID							
☐ Livestock 2. ☐ Irrigation	<u> </u>				12. Geothermal: how many bores?			
3. ☐ Feedlot								
4. ☐ Industrial	☐ Air Sparg ☐ Recovery		Milaction		ner (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:								
Water well disinfected? \square Yes \square No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
☐ Other (Specify)								
10 FROM TO	LITHOLO		FROM		LITHO. LOG (cont.) or		GINTERVALS	
10 11(0)(1	EIIIOEO	GIC EGG	TROM	10	ETTTO: EOG (Cont.) of	1 EC COII (SHITERTIES	
			†					
			1					
			1					
			Notes:	:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year)								
Kansas Water Well Contractor's License No								
under the business name of								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								