Revised Form

WATER WELL RECORD Form WWC-5 Division of Water Resources; App. No. 1 LOCATION OF WATER WELL: Fraction Section Number | Township Number | Range Number **12** s County: Geary SW ½ R 05 (E) Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits) located within city? Latitude: Longitude: 326 S. WASHINGTON ST. JUNCTION CITY, KANSAS WATER WELL OWNER: City of Junction City - Dave Hurley Elevation: RR#, St. Address, Box # : 700 N. Jefferson
City. State. ZIP Code : Junction City, KS 66441 Datum: City, State, ZIP Code Data Collection Method: LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 50' ft. LOCATON Depth(s) Groundwater Encountered 1 ~33' ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 36.09 ft. below land surface measured on mo/day/yr 09/27/2007 WITH AN "X" IN SECTION BOX: Pump test data: Well water was ft. after hours pumping gpm
Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) W 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well -- SE --Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs S Sample was submitted Water Well Disinfected? Yes No X

TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped Welded 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 1 Steel Blank casing diameter 2 in. to 29 ft., Dia in. to ft., Dia in. to ft.

Casing height below land surface 3.72 in., Weight Ibs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 29 ft. to 49 ft. From ft. to ft.
 From
 ft. to
 ft. From
 ft. to
 ft.

 From
 27
 ft. to
 50
 ft. From
 ft. to
 ft.
 GRAVEL PACK INTERVALS: From ft. to ft. From ft. to ft. 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals From 1 ft. to 27 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 10 Livestock pens 13 Insecticide Storage 16 Other (specify 1 Septic tank 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage lagoon 11 Fuel storage 2 Sewer lines 14 Abandoned water well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well Direction from well? How many feet? LITHOLOGIC LOG FROM FROM TO PLUGGING INTERVALS 7 0 Clay, sandy, fill 15 7 Clav. silty 40 Sand, very fine to medium 15 49 Clay, sandy 40 MW1 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 09/25/2007 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 594 . This Water Well Record was completed on my fine day/year/11/26/2007 NSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, ieology Section, 1000 SW Jackson St., Suite 420, Topeia, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for our records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.