		RECORD		VWC-5	Divis	ion of Wa	ater Reso	urces; App	o. No.		
1 LOCA	TION OF	WATER WELL:	Fraction		Se	ection N	umber	Townsh	ip Number	Range Number	
County:	nd direction	Geary	NE 1/4 I	ddress of w	E ¼	ll	itionina	T System	12 S	R 5 E	
County: Geary NE ½ NE ½ NE ½ 11 T 12 S R 5 E Distance and direction from nearest town or city street address of well if located within city? Global Positioning System (decimal degrees, min. of 4 digits) Latitude: N 39.02922°											
SE corner of 7 th & Jackson Streets, Junction City Longitude: W 96.83688°											
2 WATI	l F	Elevation: 1104 29 nin / 1104 09 toc									
RR#, S	WATER WELL OWNER: Leiszler Oil Co. RR#, St. Address, Box # : 635 W Crawford City, State, ZIP Code : Clay Center, KS 67432						Datum: Above mean sea level				
City, S	tate, ZIP C	ode : Clay C	enter, KS 6743	2	1 1	หาร เ.ก.เ	ecnoniv	nernon i	egal survey		
3 LOCA	TE WELL	2'S 4 DEPTH OF	COMPLETE	D WELL		45.6		ft.			
LOCA		N D41 (-) C		.4		MW2					
}	AN "X" I	N Depth(s) Grow	idwater Encour	nterea i	4 45 6		π. 2		π. 3	ft.	
SECT	ION BOX:									lay/yr 9/16/08	
N Pump test data: Well water was ft. after hours pumping gpm											
Est. Yield gpm: Well water was ft. after hours pumping gpm											
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Demostic 3 Feed let 6 Oil field water supply 9 Devetoring 12 Other (Specify below)										
W 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10) Monitoring well											
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs											
Sample was submitted Water Well Disinfected? Yes No X Sample was submitted Water Well Disinfected? Yes No X											
5 TYPE	OF CASI	NG USED: 5	Wrought Iron	8	Concrete	tile	CAS	ING JOIN	VTS: Glued	Clamped	
1 Ste	el	3 RMP (SR) 6	Asbestos-Cem	ient 9	Other (sp	pecify be	low)		Welde	ed	
(2)PV	C	4 ABS 7	Fiberglass						Threa	ded X	
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 25.6 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.20 ft., Weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL:											
Casing height below land surface 0.20 ft., Weight lbs./ft. Wall thickness or gauge No.											
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass (7) BVC 0 ABS 11 Other (checify)											
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)											
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 25.6 ft. to 45.6 ft. From ft. to ft.											
SCREEN-	-PERFORA	TED INTERVALS	From	25.6	lt. to	45.6	ft. Fr	om	ft. t	oft.	
rrom n. to tt. from tt. to tt.											
GR	AVEL PAG	CK INTERVALS:	From	23.5	tt. to	45.6	ft. Fr	om	It. 1	.o	
From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 23.5 ft. to 45.6 ft. From ft. to ft. From ft. to ft. From ft. to ft.											
6 GROUT MATERIAL: 1 Neat cement (2) Cement grout (3) Bentonite (4) Other concrete, 0-2'											
Grout Intervals From 2 ft. to 18.5 ft. From 18.5 ft. to 23.5 ft. From ft. to ft.											
What is the nearest source of possible contamination:											
	tic tank		nes 7 Pit privy		Livestoc			ecticide S		16 Other (specify	
	er lines	5 Cess poo			Fuel stor				water well	below)	
		er lines 6 Seepage	pit 9 Feedyard					well/ gas	well		
	from well?			H(ow many	ieet? ~/	40				
FROM	TO		LOGIC LOG		FROM	TO			THOLOGIC		
0	1	Asphalt			33	46	Clay w	ith fine gra	ined sand, lig	ght brown, very moist	
8	5 10	Clay with silt, brown				<u></u>	 		······································		
13	15	Clay with silt, light g					 				
18	20	Fine to medium grain					 				
		poorly sorted, moist	June With VIII	,, 0.0 1111,			 				
23	25	Fine to medium grain	ed sand with cla	y, red				·····			
		brown, poorly sorted.	moist								
28	30	Fine to medium grain		ce clay, red			Flushr	nount wa	iver with E	Bureau of Water	
brown, poorly sorted, moist CONTRACTOR'S OR I ANDOW/NER'S CERTIFICATION. This water well was 1) contracted (2) research as (2) plysoid.											
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9/16/08 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 10/23/08											
1		e of Larsen & Ass			y (signatu				.u.y. y Cai)1	VI AUI VU	
1							enartmant	of Health a	nd Environmer	of Bureau of Water	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.											
your records	Fee of \$5.00) tor each constructed we	 Visit us at http: 	//www.kdhek	s.gov/water	well.	\	-/-			