			VVAI	ER WELL RECORD	Form WWC-	5 KSA 8	2a-1212			
<u> </u>	TION OF WAT	TER WELL:	Fraction		1	ection Numb		ship Number	Range Nu	\sim
County:			Sw ½		1/4	16	T	12 \$	R 5	E(W)
		, Tescott, Kan	nsas	address of well if located	1 within city?					
2 WAT	ER WELL OW	NINEN.	er Service							
	. Address, Box	$\wedge \pi$.	. First	7404			Boar	rd of Agriculture,	Division of Water	r Resources
	te, ZIP Code		tt, Kansas 67					lication Number:		
AN X	TE WELL'S L			COMPLETED WELL dwater Encountered 1.						
ī	1			C WATER LEVEL						
				np test data: Well wate						
	NW	NE		gpm: Well wate						
•				neter 7. 7/8in. to .						
Mile A	!				5 Public wat				Injection well	
7	I SW	SE	1 Domestic		6 Oil field w				Other (Specify b	
	,,,		2 Irrigation				10 Monitorin	g well		
1	<u> </u>		Was a chemical mitted	/bacteriological sample s	ubmitted to [loX; If yes		
5 TYPE	OF BLANK C	CASING USED:		5 Wrought iron	8 Conc	rete tile			ed Clampo	
_	Steel	3 RMP (SR	})	6 Asbestos-Cement		r (specify be			ded	
2 P	PVC	4 ABS	•	7 Fiberglass				Thre	eadedX	
			in. to 9	ft., Dia						
				in., weight						
		R PERFORATION			(7)P\			0 Asbestos-cem		
1 S	Steel	3 Stainless	steel	5 Fiberglass	_	MP (SR)	1	1 Other (specify	·)	
2 B	rass	4 Galvanize	ed steel	6 Concrete tile	9 AE			2 None used (o	•	
SCREEN	OR PERFOR	RATION OPENING		5 Gauze	ed wrapped		8 Saw cut		11 None (oper	n hole)
1 C	Continuous slot			6 Wire v	vrapped		9 Drilled h	noles		
	ouvered shutte		y punched	7 Torch			10 Other (s	specify)		
SCREEN	-PERFORATE	ED INTERVALS:		ft. to						
			_							4
				ft. to						
	GRAVEL PAG	CK INTERVALS:	From	8 ft. to	24	ft., Fı	rom	ft.	to	ft.
			From From	.8 ft. to ft. to	24	ft., Fi ft., Fi	rom	ft.	toto	ft.
6 GROU	IT MATERIAL	: 1 Neat ce	From From ement (ft. to Cement grout	24 3 Bento	ft., Fi	rom	ft. ft.	toto	
6 GROU	IT MATERIAL ervals: From	: 1 Neat ce	From From ement (.8 ft. to ft. to	24 3 Bento	ft., Fi ft., Fi onite to	rom	ft. ft.	toto	
6 GROU Grout Inte	IT MATERIAL ervals: Fron he nearest so	: 1 Neat ce	From From ement (ft. to	ft. to ft. to Cement grout 2. ft., From	24 3 Bento	ft., Fr ft., Fr onite to	rom		toto	
6 GROU Grout Inte What is the	IT MATERIAL ervals: Fron the nearest so eptic tank	: 1 Neat ce n0fr eurce of possible c	From	ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy	3Bente 2. ft.	tt., Frontite to	rom	om	totoft. to	ft.
Grout Inte What is the 1 Second	IT MATERIAL ervals: From the nearest so eptic tank ewer lines	: 1 Neat ce n0fr eurce of possible c 4 Lateral 5 Cess p	From	ft. to ft. to ft. to 2 Cernent grout 2 ft., From 7 Pit privy 8 Sewage lago	3Bente 2. ft.	to	rom	om	toto	ft.
Grout Inte What is the 1 Sc 2 Sc 3 W	IT MATERIAL ervals: From the nearest so teptic tank tewer lines Vatertight sewer	.: 1 Neat ce n0 fr eurce of possible c 4 Lateral 5 Cess p er lines 6 Seepa	From	ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy	3Bente 2. ft.	onite to	rom	om	totoft. to	ft.
6 GROU Grout Inte What is the 1 S 2 S 3 W Direction	IT MATERIAL ervals: From the nearest so teptic tank ewer lines vatertight sewer from well?	: 1 Neat ce n0 furce of possible c 4 Lateral 5 Cess p	From From ement (int. to	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento 2 . ft.	onite to	rom	nt. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to	t. ft. ft. well
Grout Inte What is the 1 Sc 2 Sc 3 W	IT MATERIAL ervals: From the nearest so teptic tank tewer lines Vatertight sewer	.: 1 Neat ce n0 fr eurce of possible c 4 Lateral 5 Cess p er lines 6 Seepa	From From ement (int. to contamination: al lines pool age pit LITHOLOGIC	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bente 2. ft.	onite to	rom	om	to	ft.
6 GROU Grout Inte What is the 1 S 2 S 3 W Direction	IT MATERIAL ervals: From he nearest so- eptic tank ewer lines vatertight sewer from well?	.: 1 Neat ce n	From From ement (int. to	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento 2 . ft.	onite to	rom	nt. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to	ft.
GROU Grout Inte What is the 1 S 2 S 3 W Direction FROM 0	IT MATERIAL ervals: From he nearest so eptic tank ewer lines vatertight sewer from well?	1 Neat ce n0 fource of possible of 4 Lateral 5 Cess per lines 6 Seepa north	From	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento 2 . ft.	onite to	rom	nt. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to	ft.
GROU Grout Inte What is the 1 Scalar 2 Scalar 3 W Direction FROM 0	IT MATERIAL ervals: From he nearest so eptic tank ewer lines vatertight sew from well?	1 Neat ce n0 fe urce of possible c 4 Lateral 5 Cess p er lines 6 Seepag north dark brown c brown silty	From	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento 2 . ft.	onite to	rom	nt. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to	ft.
GROU Grout Inte What is the 1 State of State of State 2 State of S	IT MATERIAL ervals: From he nearest so eptic tank ewer lines vatertight sew from well?	1 Neat ce n0 fe urce of possible c 4 Lateral 5 Cess p er lines 6 Seepag north dark brown c brown silty	From	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento 2 . ft.	onite to	rom	nt. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to	ft.
GROU Grout Inte What is the 1 State of State of State 2 State of S	IT MATERIAL ervals: From he nearest so eptic tank ewer lines vatertight sew from well?	1 Neat ce n0 fe urce of possible c 4 Lateral 5 Cess p er lines 6 Seepag north dark brown c brown silty	From	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento 2 . ft.	onite to	rom	nt. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to	ft.
GROU Grout Inte What is the 1 State of State of State 2 State of S	IT MATERIAL ervals: From he nearest so eptic tank ewer lines vatertight sew from well?	1 Neat ce n0 fe urce of possible c 4 Lateral 5 Cess p er lines 6 Seepag north dark brown c brown silty	From	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento 2 . ft.	onite to	rom	nt. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to	ft.
GROU Grout Inte What is the 1 State of State of State 2 State of S	IT MATERIAL ervals: From he nearest so eptic tank ewer lines vatertight sew from well?	1 Neat ce n0 fe urce of possible c 4 Lateral 5 Cess p er lines 6 Seepag north dark brown c brown silty	From	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento 2 . ft.	onite to	rom	nt. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to	ft.
GROU Grout Inte What is the 1 State of State of State 2 State of S	IT MATERIAL ervals: From he nearest so eptic tank ewer lines vatertight sew from well?	1 Neat ce n0 fe urce of possible c 4 Lateral 5 Cess p er lines 6 Seepag north dark brown c brown silty	From	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento 2 . ft.	onite to	rom	nt. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to	ft.
GROU Grout Inte What is the 1 State of State of State 2 State of S	IT MATERIAL ervals: From he nearest so eptic tank ewer lines vatertight sew from well?	1 Neat ce n0 fe urce of possible c 4 Lateral 5 Cess p er lines 6 Seepag north dark brown c brown silty	From	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento 2 . ft.	onite to	rom	nt. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to	ft.
GROU Grout Inte What is the 1 State of State of State 2 State of S	IT MATERIAL ervals: From he nearest so eptic tank ewer lines vatertight sew from well?	1 Neat ce n0 fe urce of possible c 4 Lateral 5 Cess p er lines 6 Seepag north dark brown c brown silty	From	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento 2 . ft.	onite to	rom	nt. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to	ft.
GROU Grout Inte What is the 1 S 2 S 3 W Direction FROM 0	IT MATERIAL ervals: From he nearest so eptic tank ewer lines vatertight sew from well?	1 Neat ce n0 fe urce of possible c 4 Lateral 5 Cess p er lines 6 Seepag north dark brown c brown silty	From	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento 2 . ft.	onite to	rom	nt. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to	ft.
GROU Grout Inte What is the 1 State of State of State 2 State of S	IT MATERIAL ervals: From he nearest so eptic tank ewer lines vatertight sew from well?	1 Neat ce n0 fe urce of possible c 4 Lateral 5 Cess p er lines 6 Seepag north dark brown c brown silty	From	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento 2 . ft.	onite to	rom	nt. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to	ft.
GROU Grout Inte What is the 1 State of State of State 2 State of S	IT MATERIAL ervals: From he nearest so eptic tank ewer lines vatertight sew from well?	1 Neat ce n0 fe urce of possible c 4 Lateral 5 Cess p er lines 6 Seepag north dark brown c brown silty	From	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento 2 . ft.	onite to	rom	nt. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to	ft.
GROU Grout Inte What is the 1 S 2 S 3 W Direction FROM 0	IT MATERIAL ervals: From he nearest so eptic tank ewer lines vatertight sew from well?	1 Neat ce n0 fe urce of possible c 4 Lateral 5 Cess p er lines 6 Seepag north dark brown c brown silty	From	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento 2 . ft.	onite to	rom	nt. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	to	ft.
GROU Grout Inte What is the 1 Sc. 2 Sc. 3 W Direction FROM 0 2 15	IT MATERIAL ervals: From the nearest so teptic tank ewer lines vatertight sewer from well? TO 2 15 24	1 Neat ce n0f urce of possible c 4 Lateral 5 Cess p er lines 6 Seepag north dark brown c brown silty brown very s	From	8 ft. to ft. to ②Cernent grout .2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard LOG	3Bento 2 . ft.	to	rom 4 Other 3 ft., Froestock pensel storage tillizer storage ecticide storage any feet? MW9	14 A 15 C 16 C 19 PLUGGING I	to ft. to	tt. tt. well ow)
GROUT Intervention of the second seco	T MATERIAL ervals: From he nearest so eptic tank ewer lines vatertight sewer from well? TO 2 15 24 RACTOR'S O	1 Neat ce n	From	ft. to ft. to ft. to 2 Cement grout 2 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento 2 . ft.	toft., Find the fit., Find the	rom	14 A 15 C 16 C P 100 PLUGGING I	to ft. to Abandoned water Dil well/Gas well Other (specify belo INTERVALS	tt. ft. well ow)
GROU Grout Inte What is ti 1 S 2 S 3 W Direction FROM 0 2 15	IT MATERIAL ervals: From the nearest so teptic tank ewer lines vatertight sewer from well? TO 2 15 24 RACTOR'S Ollon (mo/day/y)	1 Neat ce n0f Purce of possible co 4 Lateral 5 Cess per lines 6 Seepar north clark brown co brown silty brown very seepar PRICANDOWNER'S year)01-13-	From	ft. to ft. to Cerment grout i. ft. to Cerment grout i. ft. to This privy ii sewage lago ii seedyard ft. to Compared to the privy ii sewage lago ii seedyard ft. to This water well was	3Bento 2 ft.	to	A Other	14 A 15 C 16 C 17 T 18 T 19	to	tt. ft. well ow)
GROU Grout Inte What is the second of the se	T MATERIAL ervals: From he nearest so eptic tank ewer lines vatertight sewer from well? TO 2 15 24 RACTOR'S O	In Neat center of possible control of the Lateral of Seepage north cark brown of brown silty brown very silty brown very silty care of the Landown silty brown very silty brown	From. From ement (int. to	ft. to ft. to 2 Cement grout 2 .ft., From 7 Pit privy 8 Sewage lago 9 Feedyard LOG ION: This water well was This Water We	3Bento 2 ft.	to	MW9 Monthstructed, or	14 A 15 C 16 C 17 T 18 T 19	to	tt. ft. well ow)
GROU Grout Inte What is the state of the sta	PRACTOR'S O	In Neat center of possible contents of possible contents of Seepar north cark brown of brown silty brown very services of LANDOWNER'S year)	From. From ement (int. to	ft. to ft. to 2 Cement grout 2 .ft., From 7 Pit privy 8 Sewage lago 9 Feedyard LOG ION: This water well was This Water We	3Bento 24 3Bento 7 7 8 8 9 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9	to	constructed, or on (mo/dayyyature)	(3) plugged unche best of my kn	to to tto tto Abandoned water Dil well/Gas well Other (specify belo INTERVALS der my jurisdiction owledge and belie	n and was