WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.				
1 LOCATION OF WA County: LINC		Fraction SE1/4 SE1/4 NU	V1/4 SE 1/4	Section	on Number	Township No. T /2 S	Range Number R	
Street/Rural Address of Well Location; if unknown, distance & direction						System (GPS) in		
from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees)			
FROM INTRESECT HWY 252 AND 280TH RD.					Longitude: (in decimal degrees)			
Yamine WEST					Elevation:			
2 WATER WELL OWNER: MIKE COLE RANCH					Collection Method:			
RR#, Street Address, Box #: 2763 E. PIKE DE					GPS unit (Make/Model:)			
2 WATER WELL OWNER: MIKE COLE RANCH RR#, Street Address, Box #: 2763 E. PIKE DE City, State, ZIP Code : BEVEELY, 67423				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL	00.	, , , ,			ccuracy.	э m, _ э-э m, _	1 3-13 m, 13 m	
WITH AN "X" IN	4 DEPTH OF C	COMPLETED WEL			ft.			
SECTION BOX:	Depth(s) Groundwater Encountered (1)							
WELL'S STATIC WATER LEVEL								
FST VIFI D onm - Well water was					ft. after hours pumping gpm			
W NW NE Bore Hole Diameter					ft. after hours pumping gpm andft.			
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							Injection well	
SW SE								
Irrigation								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
water wen districted: \(\mathbb{L} \) Tes								
5 TYPE OF CASING USED: Steel X PVC Other								
Casing diameter in. to								
Casing diameter above land surface. 24 in., Weight 160 lbs./ft., Wall thickness or gauge No. 5224								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☑ Mill slot .025 ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to 49 ft., From ft. to ft.								
SCREEN-PERFORATED INTERVALS: From								
From								
From ft. to ft. From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage					Oil well/ga			
Direction from well	EAST			from we	ell			
FROM TO	LITHOLOG		FROM	TO	LITHO. LO	OG (cont.) <u>or</u> PLU	UGGING INTERVALS	
	SOIL BLAC							
4 32 SAM	DDY LOOM	n Blown						
32 49 FIN	e to me	b, sake						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was A constructed. Treconstructed or Dalugged								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Sconstructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year)								
under the business name of PZSTINGER PHMA SECURE by (signature) Back the correct answers Send three copies INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers Send three copies								
INSTRUCTIONS: Use typew (white, blue, pink) to Kansas I								
Telephone 785-296-5524. Ser	nd one copy to WAT							
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								