			R WELL RECORD	Form WWC			
LOCATION OF WA	TER WELL:	Fraction	a=	1	ection Number	Township Number	Range Number
County: Lincoln Distance and direction	from pearest tow	SE 1/4	SE 1/4	SE 1/4	7	T 12 S	R 6₩ == ₩
in Shady Ber		ii or city street a	duress of well it loca	ated within city			
WATER WELL OW		iffin					
RR#, St. Address, Bo		*****				Board of Agricultur	e, Division of Water Resource
City, State, ZIP Code		v Kancac	67423			Application Numbe	
				98	# ELEVA		
AN "X" IN SECTIO							. 3
		• • •					/yr 1/1.2/95
i							pumping gpm
NW	NE						pumping gpm
.		Bore Hole Diame	eter . 7 7/8 in.	to 98		and	.in. toft.
W			O BE USED AS:				11 Injection well
- 'w		1 Domestic	→ 3 Feedlot	6 Oil field w	ater supply		12 Other (Specify below)
3W	3:	2 Irrigation	4 Industrial	7 Lawn and	garden only		
i	l x	Was a chemical/l	oacteriological sampl	le submitted to	Department? Ye	es; If y	es, mo/day/yr sample was sub
	S	mitted			Wa	ter Well Disinfected? Yes	No
TYPE OF BLANK (5 Wrought iron	8 Cond	crete tile	CASING JOINTS: GI	ued Clamped
1 Steel	3 RMP (SF	R)	6 Asbestos-Cemer	nt 9 Othe	r (specify below	v) W	elded
2 PVC	4 ABS	•	7 Fiberglass				readed
							in. to ft.
			.in., weight 2		_		No S.ch 40
TYPE OF SCREEN O					VC	10 Asbestos-ce	
1 Steel	3 Stainless		5 Fiberglass		RMP (SR)		ify)
2 Brass	4 Galvanize		6 Concrete tile	9 A	BS	12 None used	
CREEN OR PERFO				uzed wrapped		8 Saw cut 9 Drilled holes	11 None (open hole)
 Continuous slo 	ot 3 Mi	ll slot	6 WII	re wrapped		9 Drilled notes	
O Laurenad abud	4 1/0	aaabaad	7 To	rab aut		10 Other (enecify)	
2 Louvered shut		ey punched		rch cut	# Fra	(-1 7)	
2 Louvered shut SCREEN-PERFORAT		From	38 ft. to	98	,	n f	t. toft.
CREEN-PERFORAT	ED INTERVALS:	From	38 ft. to	98	ft., Fro	m f m	t. toft. t. toft.
CREEN-PERFORAT		From	38	9898	ft., Fro	m	t. toft.
GRAVEL PA	CK INTERVALS:	From From From	38 ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	98	ft., Fro	m	t. to
GRAVEL PA	CK INTERVALS:	From From From	38 ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	98	ft., Fro	m	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro	CK INTERVALS: L: 1 Neat com0	FromFromFrom.ement	38 ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	98	ft., Fro	m	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro	CK INTERVALS: L: 1 Neat com0 ource of possible of	From From From ement ft. to 20 contamination:	38	98. 98. 3 Ben	ft., Fro	m	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro	CK INTERVALS: L: 1 Neat com0 ource of possible of	From From From ement ft. to20 contamination:	38 ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	98	ft., Fro	m	t. to
GRAVEL PA GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines	CK INTERVALS: L: 1 Neat com0 ource of possible of 4 Latera	From From From ement ft. to 2.0 contamination: al lines pool	38	98	to	m	t. to
GROUT MATERIAL GROUT Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew	CK INTERVALS: L: 1 Neat com0 ource of possible of the com0	From From From ement ft. to20 contamination: al lines pool age pit	38	98	to	m	t. to
GROUT MATERIAL GROUT Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO	CK INTERVALS: L: 1 Neat com0 ource of possible of the com 4 Latera 5 Cess wer lines 6 Seepa Northwes	From From From ement ft. to 20 contamination: al lines pool age pit t LITHOLOGIC	38	98	to	m	t. to
GRAVEL PA GRAVEL PA GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 25	CK INTERVALS: L: 1 Neat com0 ource of possible of the come of the	From From From ement ft. to 20 contamination: al lines pool age pit t LITHOLOGIC and c1ay	38	98	to	m	t. to
GROUT MATERIAL GROUT MATERIAL GROUT Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO	CK INTERVALS: L: 1 Neat com0 ource of possible of the com 4 Latera 5 Cess wer lines 6 Seepa Northwes	From From From ement ft. to 20 contamination: al lines pool age pit t LITHOLOGIC and c1ay	38	98	to	m	t. to
GROUT MATERIAL GROUT MATERIAL GROUT Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 25	CK INTERVALS: L: 1 Neat com0 ource of possible of the come of the	From From From ement ft. to 20 contamination: al lines pool age pit t LITHOLOGIC and c1ay	38	98	to	m	t. to
GROUT MATERIAL GROUT MATERIAL GROUT Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 25	CK INTERVALS: L: 1 Neat com0 ource of possible of the come of the	From From From ement ft. to 20 contamination: al lines pool age pit t LITHOLOGIC and c1ay	38	98	to	m	t. to
GROUT MATERIAL GROUT MATERIAL GROUT Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 25	CK INTERVALS: L: 1 Neat com0 ource of possible of the come of the	From From From ement ft. to 20 contamination: al lines pool age pit t LITHOLOGIC and c1ay	38	98	to	m	t. to
GRAVEL PA GRAVEL PA GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 25	CK INTERVALS: L: 1 Neat com0 ource of possible of the come of the	From From From ement ft. to 20 contamination: al lines pool age pit t LITHOLOGIC and c1ay	38	98	to	m	t. to
GROUT MATERIAL GROUT Intervals: Fro Vhat is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 25	CK INTERVALS: L: 1 Neat com0 ource of possible of the come of the	From From From ement ft. to 20 contamination: al lines pool age pit t LITHOLOGIC and c1ay	38	98	to	m	t. to
GROUT MATERIAL GROUT Intervals: Fro Vhat is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 25	CK INTERVALS: L: 1 Neat com0 ource of possible of the come of the	From From From ement ft. to 20 contamination: al lines pool age pit t LITHOLOGIC and c1ay	38	98	to	m	t. to
GROUT MATERIAL GROUT Intervals: Fro Vhat is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 25	CK INTERVALS: L: 1 Neat com0 ource of possible of the come of the	From From From ement ft. to 20 contamination: al lines pool age pit t LITHOLOGIC and c1ay	38	98	to	m	t. to
GROUT MATERIAL GROUT MATERIAL GROUT Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 25	CK INTERVALS: L: 1 Neat com0 ource of possible of the come of the	From From From ement ft. to 20 contamination: al lines pool age pit t LITHOLOGIC and c1ay	38	98	to	m	t. to
GROUT MATERIAL GROUT Intervals: Fro Vhat is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 25	CK INTERVALS: L: 1 Neat com0 ource of possible of the come of the	From From From ement ft. to 20 contamination: al lines pool age pit t LITHOLOGIC and c1ay	38	98	to	m	t. to
GRAVEL PA GRAVEL PA GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 25	CK INTERVALS: L: 1 Neat com0 ource of possible of the come of the	From From From ement ft. to 20 contamination: al lines pool age pit t LITHOLOGIC and c1ay	38	98	to	m	t. to
GRAVEL PA GRAVEL PA GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 25	CK INTERVALS: L: 1 Neat com0 ource of possible of the come of the	From From From ement ft. to 20 contamination: al lines pool age pit t LITHOLOGIC and c1ay	38	98	to	m	t. to
GRAVEL PA GRAVEL PA GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 25	CK INTERVALS: L: 1 Neat com0 ource of possible of the come of the	From From From ement ft. to 20 contamination: al lines pool age pit t LITHOLOGIC and c1ay	38	98	to	m	t. to
GRAVEL PA GRAVEL	CK INTERVALS: L: 1 Neat com0 ource of possible of the come of the c	From From From ement ft. to 20 contamination: al lines pool age pit t LITHOLOGIC and clay streaks	38	98	to	m fm	t. to
GRAVEL PA GRAVEL	CK INTERVALS: L: 1 Neat com0 ource of possible of the come of the	From	38	3 Ben ft. agoon	to	m fm	t. to
GRAVEL PA GRAVEL PA GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 25 25 98 CONTRACTOR'S completed on (mo/day)	CK INTERVALS: L: 1 Neat com 0 Ource of possible of the come of the	From From From From From From ement ft. to	38	3 Ben ft. agoon FROM	to	m fm	t. to
GRAVEL PA GRAVEL PA GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 25 25 98 CONTRACTOR'S completed on (mo/day)	CK INTERVALS: L: 1 Neat com	From	38	3 Ben ft. agoon FROM I was (1) const	to	m fm	t. to