

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL.	Fraction	Section Number	Township Number	Range Number
County: Lincoln	SE 1/4 NE 1/4 NW 1/4	15	T 12 S	R 6 (EW)

Distance and direction from nearest town or city street address of well if located within city?
Koch Agri Services - Beverly, KS

2 WATER WELL OWNER: Koch Agri Services	Board of Agriculture, Division of Water Resource
RR#, St. Address, Box #: P.O. Box 2256	Application Number:
City, State, ZIP Code: Wichita, Ks 67201	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 25 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr
	Pump test data: Well water was ft. after hours pumping gpm Est. Yield: NA gpm; Well water was ft. after hours pumping gpm Bore Hole Diameter: 8 in. to 25 in. and in. to ft.
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes.....No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below) X
2 PVC	4 ABS	7 Fiberglass	Welded
Casing diameter: 2 in. to 10 in.	ft. Dia.	ft. Dia.	Threaded
Casing height above land surface: 0 in., weight	lbs. ft. Wall thickness or gauge No. Schedule 40		
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
10 Asbestos-cement			
11 Other (specify)			
12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 10 ft. to 25 ft.			
GRAVEL PACK INTERVALS: From 8 ft. to 25 ft.			

6 GROUT MATERIAL: 1 Neat cement	2 Cement grout	3 Antonite	4 Other
Grout Intervals: From 0 ft. to 6 ft.	From 6 ft. to 6 ft.	From 6 ft. to 8 ft.	From ft. to ft.
What is the nearest source of possible contamination:			
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
			13 Insecticide storage
			14 Abandoned water well
			15 Oil well/Gas well
			16 Other (specify below) Unknown
Direction from well?		How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Silt, slightly clayey, very fine-sandy dark gray-brown			MWB-2
3	16	Silt, clayey, fine-sandy, light brown			
16	25	Silt, clayey, fine-sandy, light brown			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was **(1)** constructed, **(2)** reconstructed, or **(3)** plugged under my jurisdiction and was completed on (mo/day/year) **5/3/95** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. **527** This Water Well Record was completed on (mo/day/yr) **5/3/95** under the business name of **GeoCore Services, Inc.** by (signature) *Dale Rehl*

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 313-296-5545. Send one to WATER WELL OWNER and retain one for your records.