	J	THE REAL PROPERTY.	WATE	R WELL REC	YORD E	orm WWC	-5 KSA 82	e_1010			
1 LOCAT		TER WELL:	Fraction	AIC		I S	ection Numbe		hip Number	Range I	Number
County:	Linco1	n,	WC 1/4	-\$W	₄ SW	1/4	7	т 12		R 7W	E/W
Distance a	and direction	from nearest town	or city street a	address of wel	I if located	within city?)				
6½ W	of Wes	tfall, Kansa	ıs								
2 WATE	R WELL OV	VNER: Mrs. 01a	f Fischer	<u> </u>							
RR#, St.	Address, Bo	x # :Route 2						Board	d of Agriculture,	Division of Wat	ter Resources
City, State	e, ZIP Code	:Lincoln	Ks.67445	5				Appli	cation Number:		
LOCAT	E WELL'S L	OCATION WITH 4	DEPTH OF C	COMPLETED	WELL	19	ft. ELEV	ATION:	known		
→ AN "X"	IN SECTIO	N (D							ft. :		
ī [ı	\ \	VELL'S STATIC	WATER LEV	/EL	7 <u>0</u> . ft.	below land si	urface measur	ed on mo/day/yr	9/13	/90
	NW	NE	Pum	p test data:	Well water	was	ft.	after	hours p	umping	gpm
	NW		st. Yield 60) gpm:	Well water	was	ft.	after	hours p	umping	gpm
ا ير ف	- i	В	ore Hole Diam	eter 8	in. to .4	19		and		n. to	
ž v þ	· į	i 'w	VELL WATER	TO BE USED	AS : 5	Public wa	ter supply	8 Air conditi	oning 11	Injection well	
î l	. (\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	SE	1 Domestic	_ 3 Feed	dlot 6	Oil field w	ater supply	9 Dewaterin	g 12	Other (Specify	below)
	3 <u>H</u>	1 7	2 Irrigation				-		y well,		
↓ L	ı	<u> </u>	/as a chemical/	bacteriologica/	l sample su	bmitted to I	Department?	Yes <u>.N</u>	o; If yes	s, mo/day/yr sar	nple was sub-
_		<u> </u>	nitted				W	ater Well Disir	fected? Yes	No	
5 TYPE	OF BLANK	CASING USED:		5 Wrought	iron	8 Cond	rete tile	CASIN	G JOINTS: Glue	<u>d .</u> Clam	ped
1 St		3 RMP (SR)		6 Asbestos		9 Othe	r (specify belo	ow)	Wek	ted	
2_P\	<u>/C_</u>	4 ABS	100	7 Fiberglass	S			• • • • • • • • • •	. Thre	aded	
Blank cas	ing diameter	4 ABS 5in	to . † 2.2	ft., Dia	1	in. t	o	ft., Dia .		in. to	.ፈሰ · · · · · ft.
				in., weight.					loop of gaage .	•••	
		R PERFORATION				7 <u>P</u>) Asbestos-cem		
1 St		3 Stainless s		5 Fiberglass			MP (SR)		Other (specify		
2 Br		4 Galvanized		6 Concrete tile 9 AE			BS	12 8 Saw cut	None used (op	•	
		RATION OPENINGS		•			•	11 None (op	en hole)		
	ontinuous sk				6 Wire w	• •		9 Drilled h			
	ouvered shut	ter 4 Key ED INTERVALS:		100	7 Torch o		4 -		pecify) ft.		
SCHEEN-	FERFURAI	ED INTERVALS.							π. ft.		
	CDAVEL DA	CK INTERVALS:							π. ft.		
•	GRAVEL FA	OK INTERVALS.	From	20	ft. to		ft., Fr		ft.		π. ft.
6 GBOU	T MATERIAI	1 Neat cer		2 Cement gr						·	
		m Q ft.		•							
		ource of possible co						stock pens		Abandoned water	
1 Septic tank 4 Lateral lines				7 Pit privy			11 Fuel storage 15 Oil well/Gas well				
2 Sewer lines 5 Cess pool				8 Sewage lagoon				12 Fertilizer storage 16 Other (specify be			
3 W	atertight sev	ver lines 6 Seepag			edyard			cticide storage		e. of .pasti	,
Direction	from well?	-	•		•			any feet?	•	-	
FROM	то		LITHOLOGIC	LOG		FROM	то		PLUGGING	INTERVALS	
0	60	Clay									
60	180	Shale									
180	219	Sand rock									
	_					<u> </u>					
				· · · · · · · · · · · · · · · · · · ·			-	,	·····		
	-										
	1										
	-						 	· · · · · · · · · · · · · · · · · · ·			
1	<u> </u>				174	L	<u> </u>				
		OR LANDOWNER'S									
		/year) .9/13./.90.				40			•		_
		's License No 1				Record w		Y	r)	12/1	7./90
		me of Kelly's					by (sign		ord V		
		typewriter or ball point per nent, Bureau of Water, To									epartment