WATER WELL RE	COKD	Form W	WC-5	Di	vision of Water	r Resources App. N	0.	
1 LOCATION OF WA	ATER WELL:	Fraction		Section	on Number	Township No.	Range Number	
County: Lincoln		14 SE 14 NE	1/4 NE 1/4		30	T 12 S	R8 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
	owner's address, check	Latitude: (in decimal degrees)						
					Longitude: (in decimal degrees)			
3S, 2E of Vesper, KS					Elevation:			
					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Delbert Wacker					Collection Method:			
RR#, Street Address, Box #: 860 N. 140th Road				GPS unit (Make/Model:)				
City, State, ZIP Code : Lincoln, KS 67455				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Lincoln, No 0/400				Est. Accuracy:				
3 LOCATE WELL								
WITH AN "X" IN	4 DEPTH OF COMPLETED WELL .96 ft.							
SECTION BOX:	Depth(s) Groundwater Encountered (1).35							
N	Depth(s) Groundwater Encountered (1).35							
	Pump test data: Well water wasft. after hours pumping gpm							
' '	EST VIELD 20 and Well water was 4 after house numbers							
w NW NE -	D 17 1 D:		in. toft., andin. toft.					
W _ _ _ E		WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
well water to be osed as. Fubic water supply Geometric Injection went								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ☑ Yes □ No								
5 TYPE OF CASING USED: Steel V PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5 in. to .56 ft., Diameter ft., Diameter ft.								
Casing height above land surface. 12 in., Weight 2.8 lbs./ft., Wall thickness or gauge No. Sch. 40								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From56 ft. to96 ft., From								
From								
GRAVEL PACK INTERVALS: From . 23								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From 0 ft. to 23 ft., From 51 ft. to 55 ft., From ft. to ft.								
What is the nearest source of possible contamination:								
Septic tank								
Sewer lines								
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well grain bins								
Direction from well .			Distance	from we	150			
FROM TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LO	OG (cont.) or PLU	IGGING INTERVALS	
0 2 top so						/		
2 6 clay	411		t					
6 52 sand	rock				*****			
			 -					
53 96 sand	rock with shale							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .04/26/12 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 186. This Water Well Record was completed on (mo/day/year) 04/29/12								
under the business name of Kelly's Water Well Service, Inc. by (signature) Kalhum & Wad								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy								