WATE	R WELI	RECORD	Form W	WC-5			ources; App. No.			
		WATER WELL: Lincoln		F / NF /					Range Number	1
Distance	and directi	on from nearest town	or city street add	dress of well if	Global Po	sitionin	System (decin	nal degr	rees, min. of 4 digit	
		~50' W of 232 W. Li			Latitude:	N 39	5.04033° 8.15159°			
2 WAT	ER WELI	OWNER: Quik V	Vay, Inc.				: 1383.71; TOC	: 1383	3.50	
DD#	C+ Addmon	Dov # DO Dov	262		Datum:	NAY	AD83 WGSZ	34 -1	per surveyor	(KGS)
City,	State, ZIP (Code : Lincoln	<u>, KS 67455</u>	-			Method: legal s	urvey		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 19.83 II.										
	ATON		. –		MW5	0 0				
	H AN "X"	IN Depth(s) Groun	dwater Encount	ered l		tt. 2		ft. 3	f ay/yr 11/25/14	t.
SECT	TION BOX	: WELL'S STAT	IC WATER LE	VEL 16.50	ft. below I	and surfa	ace measured of	n mo/d	ay/yr 11/25/14	
N Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm									n	
	Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									n
- NY	v — № 5	WELL WATER	CIUBE USED	AS: 5 Public	water suppi	y 8 Au	r conditioning	7 Oth	gection well er (Specify below	
w		E 2 Irrigation 4						z Ome	er (Specify below	7
		2 Imgalion 4	mousurai / Do	omiestic (lawn	x garden)	(O)MOII	ntoring wen			
Fsy	v — SE -	Was a shemical	/bacteriological	cample cubmi	ted to Dena	rtment?	Ves No	Y · 1	If yes moldaylyr	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs Sample was submitted Water Well Disinfected? Yes No X										
5 TYPE	E OF CAS	NG USED: 5	Wrought Iron	8 Con	rete tile	CAS	ING JOINTS:	Glued	Clamped	
1 04	1	2 DMD (CD) 6	Ashantan Cama	nt 0 Otho	- (anaoifi, h	10337)		Walda	A	Į.
(2)PV	VC	4 ABS 7	Fiberglass					Thread	led X	
Blank cas	sing diamet	er 2 in. to	4.83 ft., Di	a	in. to	ft.,	, Dia	in.	to f	t.
Casing he	ight below	4 ABS 7 er 2 in. to and surface 0.21 OR PERFORATION inless steel 5 Fib	ft., Weigh	t	lbs	./ft. Wa	ll thickness or g	auge 1	No.	
TYPE OF	SCREEN	OR PERFORATION	MATERIAL:	***			11 04 (
1 St	eel 3 Sta	inless steel 5 Fibel vanized steel 6 Cor	erglass (7) P	VC 9	ABS	74	11 Other (spe	city)	. I. 1. N	
2 BI	ass 4 Ga	IVANIZEG STEEL O COL OR ATION OPENING	icrete the 8 k	M (2K) 10	Aspesios-C	_ement	12 None used	ı (oper	i noie)	
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)										
2 Lo	ouvered shu	tter 4 Key punched	d 6 Wire wra	pped 8 Sa	w Cut	10 Othe	r (specify)			
SCREEN	-PERFOR	ATED INTERVALS:	From 4	.83 ft. to	19.83	ft. Fr	om	_ ft. to	o f	t.
			From	ft. to		ft. Fr	om	_ ft. to	o f	t.
GR	RAVEL PA	CK INTERVALS:	From	3 ft. to	20.08	ft. Fr	om	ft. to	of	t.
			From	ft. to		ft. Fr	om	ft. to)f	t.
6 GRO	UT MATE	RIAL: 1 Neat ceme	ent 2 Cement	grout (3) Be	ntonite (4)Other	Concrete: 0-1	,		
Grout Inte	ervals I	rom 1 ft. to	3 ft. Fro	m	ît. to	ft.	From		ft. to ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Sentonite 4 Other Concrete: 0-1' Grout Intervals From 1 ft. to 3 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination:										
1 Sep	tic tank		es 7 Pit privy		stock pens		ecticide Storage		16 Other (specify	y
	ver lines		8 Sewage la				andoned water	well	below)	
		ver lines 6 Seepage p	it 9 Feedyard				well/ gas well			
Direction	from well?	E		How ma	ny feet? 🛶	50'				
FROM	TO	LITHOL	OGIC LOG	FRO	M TO		LITHOL			
0	2	Topsoil		16	20.08			athere	ed siltstone, gray	
2	5	Medium stiff silty c	lay, light gray,	thin		cemen	ted			_
	7	Calcite stringers	ing allt guarr h	MOTTIN		 				_
5	 	Silty clay w/ increas w/ Fe staining	sing sin, gray b	rown		+				\dashv
7	9	Very fine sandy silt	tan w/ Fe stai	ning						-
9	10	Poorly cemented la	minated clay si	lt						7
		Tan w/ Fe staining,	harder w/ dep							
10	16	Laminated clayey s	ilt, Fe stained,							
Mottled Control of the Control of th									\exists	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/28/14 and this record is true to the best of my knowledge and belief.										
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 10/28/14 and this record is true to the best of my knowledge and belief. This Water Well Record was completed on (mo/day/year) 12/16/14									71.	
under the business name of Larsen & Associates, Inc. by (signature)									.	
						epartment	of Health and Envi	ronment	, Bureau of Water	\dashv
Geology Sec	tion, 1000 SV	e fill in blanks or circle the V Jackson St., Suite 420, To	ppeka, Kansas 6661	2-1367. Telephon	e 785-296-552	2. Send or	ne to WATER WE	LLOWN	NER and retain one fo	т
your records	Fee of \$5.0	for each constructed well.	Visit us at http://w	ww.kdheks.gov/w	aterwell.					

TRITERRA LAND SERVICES

P.O. Box 546 Clearwater, Kansas 67026 Cell (316) 648-3617 Fax (620) 584-4371 E-mail: triterrals@yahoo.com

SURVEYING OF MONITORING WELLS QUIK WAY, INC. LINCOLN, KANSAS

The above site is in Section 6, Township 12 South, Range 7 West of the Sixth Principal Meridian, Lincoln County, Kansas. The Southeast corner of Section 6 was assigned coordinates of 00.00 North and 00.00 West.

The vertical control was an NGS benchmark at Lincoln City Hall listed as 'Lincoln Center', described as a benchmark disk located 8 feet west of the centerline of the main door, 12 feet east of the northwest corner of the building in the center of the first stone window sill near the entrance, and 2.5 feet above the ground. The control point was established as a chiseled 'X' on top of the old concrete sign base at the southwest corner of the site.

The Latitude and Longitude were recorded from a GPS unit. The site is located on the 7.5' quad map titled "Lincoln".

ID SE CORNER 6-12S-7W	NORTH 00.00	WEST 00.00	LATITUDE	LONGITUDE	ELEVATION
Control Point	3685.15	5087.66	39.04034	98.15125	1386.38
MW-1 NW NW SW NW	3696.12	5085.27	39.04039	98.15125	RIM 1385.93 TOC 1385.65
MW-2 NW NW SW NW	3681.65	5030.29	39.04032	98.15102	RIM 1386.53 TOC 1386.07
MW-3 SW NW SW NW	3587.21	5103.92	39.04010	98.15129	RIM 1384.48 TOC 1384.20
MW-4 NE NW SW NW	3792.37	4949.89	39.04065	98.15076	RIM 1391.67 TOC 1391.38
MW-5 (Sec 1-12S-8W) NE NE SE NE	3664.31	5178.41	39.04033	98.15159	RIM 1383.71 TOC 1383.50
MW-6 (Sec 1-12S-8W) SE NE SE NE	3595.36	5168.94	39.04007	98.15156	RIM 1383.82 TOC 1383.50
MW-7 NW NW SW NW	3741.93	5076.14	39.04052	98.15121	RIM 1386.73 TOC 1386.43
MW-8 SW NW SW NW	3476.64	4962.76	39.03979	98.15082	RIM 1388.47 TOC 1388.21



State of Kansas KDHE/BER Well Tag Form

Quik Way, Inc.

KDHE Project Code:	U	5	0	5	3	1	4	4	8	3			
Well Tag Number					Well Number								
0050780					MW1								
0050781					MW2								
0050784					MW3								
0050788					MW4								
0050	787			MW5									
0050782					MW6								
0050786					MW7								
0050	0050783					MW8							

After completing this form, photocopy it and keep the copy for your files. Send the original to the address below.

Kansas Department of Health & Environment Bureau of Environmental Remediation 1000 SW Jackson, Suite 410 Topeka, KS 66612-1367