


SALINE

SVE 1

1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number
 County: DICKINSON SE 1/4 NE 1/4 SE 1/4 13 T 13 S R 14 E/W

Distance and direction from nearest town or city street address of well if located within city? 201 W. Fourth WEST

2 WATER WELL OWNER: JOHNSON BROS. MOTOR COMPANY
 RR#, St. Address, Box #: 201 W. Fourth
 City, State, ZIP Code: SOLOMON KS 67480
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL 27.3 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL 22.55 ft. below land surface measured on mo/day/yr 5-13-04
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well VAPOR EXTRACTION
 Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yrs sample was sub-
 mitted Water Well Disinfected? Yes

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
 2 PVC 4 ABS 7 Fiberglass Threaded
 Blank casing diameter 4 in. to 7.3 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface -2.0 in., weight lbs./ft. Wall thickness or gauge No. Sch 40
 TYPE OF SCREEN OR PERFORATION MATERIAL: 0 PVC 10 Asbestos-Cement
 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 Other (Specify)
 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot 2 Mill slot -020 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) ft.
 SCREEN-PERFORATED INTERVALS: From 7.3 ft. to 27.3 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 5.0 ft. to 27.3 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 7.5 ft. to 5.0 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Backyard Lot / Driveway
 13 Insecticide storage
 Direction from well? Immediate vicinity How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	7	Black clay	0	1.75	Cement cap
7	14	Gray clay	1.75	5	Bentonite chips
14	19	Sp. clay w/ sand	5	27.3	10/20 Sand
19	27	Sand w/ clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-10-04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 165 This Water Well Record was completed on (mo/day/yr) 5-13-04 under the business name of PRATT WELL ENVIRONMENTAL by (signature) John Egan