WATER WELL RECORD	Form WW	'C-5	Division of Wate	r Resources App. No	
1 LOCATION OF WATER WELL:	Fraction SE 14 SE 1	Silve Applica	Section Number	Township No.	Range Number
County: SALINK			27		R □E XW
Street/Rural Address of Well Location;			Global Positioning		
from nearest town or intersection: If at	(minimum)	ere 📉.			(in decimal degrees) (in decimal degrees)
2641 N. DONI			Elevation:	4, □ NAD 83, □	•••
2 WATER WELL OWNER: BOB	STOREL	٦.	Collection Method:		
RR#, Street Address, Box #: 2641	N. DOWMY	ce KD.	☐ GPS unit (Mal		)
2 WATER WELL OWNER: BOB RR#, Street Address, Box #: 2641 City, State, ZIP Code : DOLO.	mow Ku		Est. Accuracy:	so to, $\square$ 1 opographic 3 m, $\square$ 3-5 m, $\square$ 3	Map, ☐ Land Survey 5-15 m. ☐ >15 m
13 LOCATE WELL !			1 maria		
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL  Iwater Encountered (	<u>.</u>	9 ft.	G (2	
SECTION BOX: Depth(s) Ground	lwater Encountered (	1)9.Q	It. (2)	It. (3	1) It.
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr. 06					
EST. YIELDgpm, Well water wasft. after					
W         E   Bore Hole Diameter					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well					
S If yes, mo/day/yr sample was submitted					
1 mile  Water well disinfected? Yes \[ \subseteq \text{No} \]					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: M Glued  Clamped  Welded  Threaded					
Casing diameter					
Casing height above land surface					
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)					
Brass Galvanized Steel None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
☐ Continuous slot       Mill slot. O ☐ Gauze wrapped       ☐ Torch cut       ☐ Drilled holes       ☐ None (open hole)         ☐ Louvered shutter       ☐ Key punched       ☐ Wire wrapped       ☐ Saw cut       ☐ Other (specify)         SCREEN-PERFORATED INTERVALS:       From.       ft. to       ft., From       ft. to					
SCREEN-PERFORATED INTERVALS: From					
From ft. to ft., From ft. to ft.					
From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft.					
From					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
Grout Intervals: From					
Septic tank					
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
Watertight sewer lines Seepage I	·	Fertilizer st			
Direction from well EAJ	ECLOG	FROM			GGING INTERVALS
PROM TO ETHOLOG	IIC LOO	LYOM	LITTO, L	OG (COIR.) OI FLO	COTIO TITEX VALS
2 31 CLAY RADION					
31 42 SAND FINE	TO MED. TAN	& Beor	5/0		
				annone record addressed address of Principles and the State of Sta	
				S. Energy	- process
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) of the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 3.4. This Water Well Record was completed on (mg/day/year)					
under the business name of PESTINGED PUMP SERVICE by (signature) Conf. Conf.					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies					
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212					