USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | County | Fraction | | Section number | | Township number | Range number | |
|---|--------|------------------|-------------------|------------------------|---|---|-----------------------------|-----------------|
| 1. Location of well: | Saline | NE 1/4 NE 1/4 NE | 1/4 | 22 | | r 13 s | R 1 | E(W) |
| 2. Distance and direction from nearest town or city: 3 miles west of | | | 3. Owner of well: | | : | James Martin | | |
| Street address of well location if in city: | | | R.R. or street: | | | R.R. 2 | | |
| Sincer dealess of work research with the same sincer and the same | | | | City, state, zip code: | | Solomon, Kansas 67480 | | |
| 4. Locate with "X" in section below: N Sketch mop: | | | | | | 6. Bore hole dia. 8 in. Completion date Well depth 36 ft. 6/6/77 | | |
| | | | | | | 7 Cable tool _x Rotary Driven _ Dug | | |
| | | | | | | Hollow rod Jetted Bored Reverse rotary | | |
| | | | | | | 8. Use: 🗶 Domestic Public supply Industry | | |
| ₩ | | | | | | Irrigation Air conditioning Stock | | |
| \[\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | | | | - } | Lawn Oil field water Other | | |
| | | | | | | 9. Casing: Material plat. Height: Above or betow | | |
| <u> </u> | | | | | Threaded Welded Surface 18 in. RMP PVC Weight lbs ./ft. | | | |
| 1 Mile | | | | | | Dia. 5 in. to 36 ft. depth Wall Thickness: inches or | | |
| 5. Type and color of material | | | | From | To | Dia in. to ft. dept | th gage No. 0.258 | 3 |
| <u>'</u> | | | | | | 10. Screen: Manufacturer's n | ame | |
| Top some | | | | 0 | 5 | Type RMP | | |
| Brown clay | | | | | | ·/po | | |
| | | | | 5 | 28 | Set between26 | ft. | |
| Gravel 1/16 to 3/16 | | | | 28 | 36 | Gravel pack? YES Size ra | and nge of moterial1/1.6 | <u>5to'3</u> /8 |
| | | | | | | 11. Static water level: | mo./c | day/yr. |
| | | | | 1 | | 15 ft. below land surface Date 6/6/77 | | |
| | | | | ļ | | 12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m. | | |
| | | | | | | ft. after hrs. pumping g.p.m. | | |
| | | | | 1 | | Estimated maximum yield 20 4 g.p.m. | | |
| | | | | | | 13. Water sample submitted: | _ | day/yr. |
| | | | | | | Yes v No Date 14. Well head completion: | | |
| | | | | | | Pitless adapter 18 Inches above grade | | |
| | | | | _ | | 15. Well grouted? <u>VCS</u> | | |
| | | | | | | With: X Neat cement Bentonite Concrete | | |
| | | | | | | Depth: From ft. to | <u></u> | $ +$ ω |
| | | | | | | 16. Nearest source of possible contomination: ft. 55 Direction SOUTE Type Corral | | |
| | | | | | | Well disinfected upon completion?X YesNo | | |
| | | | | † | | 17. Pump: | X Not installed | 72 |
| | | | | <u> </u> | | Manufacturer's name | | |
| | | | | | | Model number | HP Volts ft. capacity g | a _ |
| | | | | | | Length of drop pipe Type: | 11. capacity | g.p.m. 8 m |
| | | | | | | Submersible | Turbine | |
| | | | | | | Jet | Reciproc | ating v M |
| (Use a second sheet if needed) | | | | | Centrifugal | Other | — * <i>N</i> | |
| 18. Elevation: 19. Remarks: | | | | | 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report | | | |
| is true to the best of my knowledge and | | | | | | | - | - 19 |
| Topography: | | | | | Rader Drilling Co. 194 | | | |
| Hill | | | | | Business name Address Carlton, Kansas 67429 | | | |
| Stope Upland | | | | | | Signed Brant & Rader Date 23-77 | | |
| Valley | | | | | | Authorized rep | presentative Date | |
| | | | | | | | Form WWC | . In |