

WATER WELL R		WWC-5 1253	DI	vision of Water			
Original Record Correction Change     I LOCATION OF WATER WELL:				ources App. No ction Number			
County:					T S	$R \square E \square W$	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and							
Business:		1 100		ion from nearest town or intersection): If at owner's address, check here:			
Address: Address:							
City: State: ZIP:							
3 LOCATE WELL							
WITH "X" IN 4 DEPTH OF COMPLETED WELL:							
SECTION BOX:	Depth(s) Groundwater Encountered: 1)           2)			Longitude:			
WELL'S STATIC WATER LEVEL:					☐ WGS 84 ☐ NAD 8: for Latitude/Longitude:	3 🗋 NAD 27	
	, measured on (mo-day-			GPS (unit make/model:)			
NW X NE	, measured on (mo-day-	measured on (mo-day-yr)		(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
W E	after hours pumping			🗆 On	line Mapper:		
SW   SE	after hours pumping						
	Estimated Yield:	Spin		6 Elevation:ft.  Ground Level  TOC			
S	Bore Hole Diameter: in. to			Source:  Land Survey  GPS  Topographic Map			
1 mile							
7 WELL WATER TO BE USED AS:							
1. Domestic:     5. □ Public Water Supply: well ID							
☐ Household ☐ Lawn & Garden	6. □ Dewatering: how many wells? en 7. □ Aquifer Recharge: well ID						
				12. Geothermal: how many bores?			
2. Irrigation	8. Monitoring: well ID			a) Closed Loop [] Horizontal [] Vertical			
3. 🗌 Feedlot 🔅 🗌 Air Sparge 🔅 Soil Vapor Ext				b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water			
4. Industrial Injection 13. Other (specify):							
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:							
Water well disinfected?  Yes No							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:         Steel       Fiberglass         PVC       Other (Specify)							
Steel       Stainless Steel       Fiberglass       PVC       Other (Specify)         Brass       Galvanized Steel       Concrete tile       None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)							
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Nearest source of possible contamination:							
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage							
□ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well							
🗌 Watertight Sewer Lines 🔄 Seepage Pit 🔄 Feedyard 🔄 Fertilizer Storage 🔄 Oil Well/Gas Well							
Direction from well? ft.							
<b>10</b> FROM TO	LITHOLO		FROM		π. LITHO. LOG (cont.) or PL	UCGING INTERVALS	
	LIIIIOLO		TROM			OUDINO INTERVALS	
<u> </u>							
Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)							
under the business name	e of						
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212							