KOLAR Document ID: 1594825

WATER		ECORD Correction		WWC-5 e in Well Use				ion of Wate rces App. N			Well I	_ [
			Fraction			Section Number			•			ge Number	
County:		TIER WE		1/4 1/	4 1/4		Been	on i vanio		T S	R		□E □W
	WNER: La	st Name:		First:		Street or	Rura	l Address	whe	ere well is located			
Business:						direction fr	om ne	earest town or	r inte	rsection): If at owner	r's addre	ss, c	heck here:
Address: Address:													
City:			State:	ZIP:									
3 LOCATE	WELL												
WITH "X				IPLETED V			ft.						
SECTION	N BOX:	Depth(s) Gr		11			e:(decimal degrees)						
N		2) ft. 3) ft., or 4) 🗆 l WELL'S STATIC WATER LEVEL:								WGS 84 □ NAI		_ N	AD 27
										Latitude/Longitude	•		,
NW	below land surface, measured on (mo-day-yr above land surface, measured on (mo-day-yr above land surface, measured on (mo-day-yr					☐ GPS (unit make/model:							
	ï	_		ater was			☐ Land Survey ☐ Topographic Map					• ,	
w	E after hours pumping						☐ Online Mapper:						
SW X	SE	aftar		ater was									
l l ı î	after hours pumping			gpiii	6 Elevation :ft.					und	Level TOC		
S				sp in. to .		ft. and				Land Survey GPS Topographic Map			
1 mi	ile			in. to						Other			
7 WELL W	VATER TO	BE USED A	AS:										
1. Domestic:				ter Supply: w						eld Water Supply: 16			
Househo				g: how many									
☐ Lawn & ☐ Livestoo				echarge: well g: well ID						☐ Uncased ☐ (al: how many bores			
2. Irrigatio				g. wen 1D						Loop Horizon			
3. ☐ Feedlot			Air Sparge			Extraction			Loop Surface Di				
4. Industria	al		Recovery	□ Inje	_			13. Other (specify):					
Was a chem	nical/bacteri	ological san	nple subm	itted to KDI	HE ? □	Yes \square N	No]	If yes, date	e sar	nple was submitte	d:		
Water well d					_	_		•		ı			
8 TYPE OF	F CASING	USED: □ S	teel PV	C 🔲 Other		CA	SIN	G JOINTS	S: 🗆	Glued Clamped	d ☐ We	lded	☐ Threaded
										in. to			
Casing height						lbs.,	/ft.	Wall thick	kness	or gauge No		•••	
TYPE OF SO			TION MAT		7 DV/G					7 (0)			
☐ Steel ☐ Brass	_	less Steel anized Steel			PVC	ised (open	hala)		ner (S	Specify)			•••••
SCREEN O	_		NINGS AI		_ None t	iseu (open	noie)						
☐ Continu		☐ Mill Slot		auze Wrapped	Пто	orch Cut [□ Dri	illed Holes	П	Other (Specify)			
☐ Louver		☐ Key Punch			_			ne (Open H					
SCREEN-PI	ERFORATE	D INTERVA	ALS: From	1 ft. 1	to	ft., Fro	m	ft. to	o	ft., From	ft	. to .	ft.
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
Grout Intervals: From													
Nearest source of possible contamination: No potential source of contamination within 200 ft. ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
☐ Sewer L			Cess Pool			igoon		uel Storage		☐ Abando			Vell
□ Watertig	ght Sewer Lin	es 🗆 S	Seepage Pit	□ Fe	edyard			ertilizer Sto					
☐ Other (Specify)													
					e from w							777.76	S DIEEDII I G
10 FROM	TO		ITHOLOG	FIC LOG		FROM	1	TO	LH	HO. LOG (cont.) or	PLUGC	iINC	INTERVALS
													-
					-								
						Notes:	:						
-						-							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wate	er Well Con	tractor's Lice	ense No		This Wa	ater Well	Reco	rd was con	mple	eted on (mo-day-y	ear)		
under the bu	siness name	of	****	ELT CYP				1 5 2		or each <u>constructed</u> we		<u></u>	
KS Departme	S ent of Health ar	end one copy to d Environment	OWATER W Bureau of W	ELL OWNER a Vater, Geology S	nd retain Section 10	one for your 000 SW Jack	record	as. Fee of \$5 t Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-13 <i>6</i>	и. 57. Teleni	hone	785-296-3565
_	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												

Form	WWC5
Contractor	Bushell Water Well Drilling and Service
Well Owner	US Army Corps of Engineers US Army Corps of Engineers
Doc ID	1594825

Lithology

Cram	l _{To}	l ithologial ag
From	То	LithologicLog
0	10	dirt
10	12	yellow clay
12	16	limestone
16	20	sandrock
20	30	light gray clay
30	32	sandrock
32	35	sand
35	42	light gray clay
42	44	sandrock
44	55	light gray clay
55	60	sandrock
60	70	gray clay
70	71	sandrock
71	74	gray clay
74	84	sandrock
84	95	light gray clay
95	102	red clay
		•