				ER WELL RECORD	Form			a-1212 ID No			
_	ON OF WATE					1	n Numb		nber	Range N	
County:			NW ½				35	т 13	s	R 14	• w
			town or city street ace St. & 2 ft E of F			in city?					
	WELL OWNE		KDHE	Tont St., Russe	B11						
_	dress, Box #			ackson St. St	te 410			Board of Agricu	Ituro Divi	eion of Water I	Daenureae
City State 2	ZIP Code		Topeka, K		410			Application Nun		Sion of water i	\esources
LOCATE	WELL'S LOC N SECTION B	CATON W	THI			30	6 FI			49 (TOC)	
T		7		COMPLETED WEL	-L -l 4	50	π. EL	EVATION:	1000	3	 A
î X		į	Depth(s) Ground	awater Encountered	a 1	20 6		ft. 2	π.	3 11_/	1.05
	NW	- NE	1					d surface measured or			
								ft. after			
7				eter 8.5 in	water wa	30		ft. after	Hours p	to	9piii
	sw	- SE	WELL WATER	TO BE USED AS:	5 Publ	ic water sur	oply	8 Air condition	ing 1	1. to 1. Injection we	
	i	ì	1 Domesti	c 3 Feed lot	6 Oil fi	eld water si	upply	ft. and 8 Air condition 9 Dewatering	1	2 Other (Spec	ify below)
<u>ا</u> ــــــــــــــــــــــــــــــــــــ	S		2 Irrigation	1 4 Industrial	7 Law	n and garde	n (dome	estic) 10 Monitoring	well		-
	3							nt? Yes No X			
			submitted					Water Well Disinfected	? Yes	No	X
5∫TYPE O	F BLANK CAS	SING USE		5 Wrought Iron				CASING JOIN	TS: Glue	d Cla	mped
1 Ste				6 Asbestos-Ce	ement	9 Other (s	specify b	elow)	Weld		
	<u>c</u>	4 AB		7 Fiberglass	_				Threa	ided F	lush
Blank casing	g diameter	2	in. to 20	0 ft., Dia		in. to		ft., Dia /ft. Wall thickness or g		in. to	ft.
Casing heig	ht above land	surface	Flushmount	in., weight	0.7	703	lbs./	/ft. Wall thickness or g	auge No.	Sch	. 40
YPE OF S	CREEN OR P	ERFORA	TION MATERIAL:			7 F					
1 Ste		3 Sta	FION MATERIAL: ainless steel Ivanized steel NINGS ARE:	5 Fiberglass		8 F	RMP (SR	R) 11 Other	(specify)		
2 Bra		4 Ga	ivanized steel	6 Concrete tile	е	9 /					
								8 Saw cut		11 None (op	en hole)
	ntinuous slot		3 Mill slot			• •		9 Drilled holes			
			4 Key punched		Torch cu			10 Other (specif	y)		
OKEEN-PI	ERFORATED	INTERVA						t. From			
GP	AVEL PACK I	NTED\/AI	FIOITI	18 # 16		30		t. From	٠٠٠٠٠ ال.	10	H.
GIV	AVEL PACK I	NIERVAL	From					t. From			
6 CPOUT	MATERIAL	1 N		2 Compat and		a David		t. From 4 Other	π.	to	11.
Sand lates	olo From	0.5	at cement .	2 Cement grout		3 Bent	onite	4 Other			
			n. το	π. From		π. το	40 15	ft. From		II. IO	π.
		e oi possi	4 Lateral lines	7 Pit	t priva			•			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify belo											
	tertight sewer		6 Seepage pit		edyard	3 00		secticide storage		(opening an	,
Direction fro	m well?				•		How ma	any feet?			
FROM	TO	CODE		LOGIC LOG		FROM	то	PLU	IGGING I	NTERVALS	
			Clay, silty, firm	n to stiff,							
0	5.5	СН	moderate to h dark brown	ign plasticity,	,						
	0.0	011	Clay, Soft to f	rm. low to his	ah			+			
			plasticity, silty	, trace organ							
5.5	15	CL	calcite, med. I	rown							
			Clay, soft to fi								
15	28	СН	plasticity, trac brown	e calcite, ligh	IL						
		J.,	Sand, very fin	e grained, sile	tv.						
28	30	SP	light gray-bro		- ,						
											Λ
_								reconstructed, or (3) plu			
	on (mo/day/yr			-3-05				is true to the best of n			
Water Well	Contractor's I	License No), . <u></u>	531		This W	/ater We	II Record yas complet	ed on (m	o/day(yr) /1	1-29-05
	usiness name		Geotechnic	al Services, Ir	nc.	by (sig	nature)	////	ny	AMO	~
INSTR Jackso	on St., Ste. 420	ease till in l Toneka K	planks and circle the co	orrect answers. Send	three co	pies to Kans	as Depart	trient of Health and Envi	ronment, f	sureau of Water	, 1000 S W