			WA	ATER WELL RECO	ORD For			82a-1212				
 	ON OF WATE		Fraction			Sec	ction Nur		Township N		Range Number	- 1
County:		issell	SW 1			thin city?	34		T 13	<u> </u>	R 14	<u>W</u>
Distance an	a airection tro	om nearest	town or city street	53 S. Lincol			i Kane	26				
2 14/4755	VA/ELL OVA/AU	-D. Δ1114	ed Cementing		, 0.1661	, 1140001	i, italis	40				
				,, 					Doord of A '	sultura Di	inion of Meter De-	
RR#, St. Ad	dress, Box#	; P.O	. DUX 3 I	67665					•		ision of Water Resou	rces
City, State, A	ZIP Code WELL'S LO	CATONIA	sell, Kansas	0/000					Application N		10.	
3 AN "X" IN	N SECTION E	CATON WI	DEPTH OF	F COMPLETED V	VELL	18.	.5 ft.	ELEVATI	ON:		3	
			Depth(s) Grou	indwater Encount	ered 1	1:	2	ft. 2		ft.	3	Ft.
	N										yr 07/27/06	
	- 	· : 1	. 1									
											umping (
	NW -	NE	Est. Yield	Gpm: v	veli water v	was		ri. aii	er	Hours I	oumping (
	i	į	Bore Hole Dia	meter 0.023	In. to	l O).0	Ft. 8	and B. Air conditio	ning 1	to	Ft.
∰ W —	 		1 Domes	stic 3 Feed lot	.s. 5 Fu 6 Oil	field water	supply	ç	Dewatering	illing 1	1 Injection well 2 Other (Specify bel	ow)
7		į									1W-9	
-	sw	SE										
		,	Was a chemic	al/bacteriological	sample su	bmitted to	Departm	ent? Yes	No X	If yes,	mo/day/yr sample w	ras
Y L		<u> </u>	Submitted						Vell Disinfecte			
5 TYPE OF	F BLANK CAS	SING USE	D:	5 Wrought	iron	8 Concr	rete tile		CASING JOII	NTS: Glue	d Clamped	
1 <u>Ste</u>	el	3 RM	MP (SR)	6 Asbestos	s-Cement	9 Other	(specify	below)		Weld	ed	
2 PV	0	4 AB	s	7 Fiberglas	SS					Threa	aded X	ĺ
				F4								
Blank casing	diameter 📜	2	In. to	8 Dia		In.	to	ft.	, Dia		in. to	ft.
Casing heigl	ht above land	surface _	FLUSH	in., weight	SC	H 40	Lb	s./ft. Wa	ll thickness o	rgauge No		
			ΓΙΟΝ MATERIAL:			7	PVC		10 Asbe	estos-ceme	nt	
1 Stee	el	3 Sta	inless steel	5 Fiberglas	ss	8	RMP (S	R)	11 Othe	er (specify)		
2 Bra	SS	4 Ga	Ivanized steel	6 Concrete	tile	9	ABS		12 None	e used (ope	en hole)	
SCREEN OF	R PERFORA		NINGS ARE:			d wrapped		8	Saw cut		11 None (open hole	e)
1 Con	ntinuous slot		3 Mill slot		Wire w	rapped			Drilled holes			
2 Lou	vered shutter	r	4 Key punched		7 Torch o			10	Other (spec	ify)		
SCREEN-PE	ERFORATED	INTERVA	LS: From	8 ft.	to	18		ft. From		ft. t	o <u>.</u>	ft.
											0	
SAN	ID PACK INT	ERVALS:	From	6.5 ft.	to	18		ft. From		ft. t	0	Ft.
					to			ft. From		ft. t	*	Ft.
6 GROUT	MATERIAL:	1 Ne	at cement	2 Cement grout		3 Ben	ntonite	4.0	ther			
	2	_				Ft.						
Grout Interva	als From 3	0	Ft. to .5	Ft. 3 From 2	.5	to		6.5	_ft. From _		ft. to	ft.
What is the r	nearest sourc	e of possib	le contamination:					ivestock į			indoned water well	
1 Sep	tic tank		4 Lateral line	s 7	Pit privy		11 F	uel stora	ge	15 <u>Oil</u>	well/ Gas well	
2 Sew	ver lines		5 Cess pool	8	Sewage la	igoon	12 F	ertilizer s	torage	16 Oth	er (specify below)	7
3 Wat	ertight sewer	lines	6 Seepage p		Feedyard		13 li	nsecticide	storage		ntaminated Site	
Direction from	-	_		Ţ	, - -			any feet?	_			
FROM	ТО	CODE	LITHO	DLOGIC LOG		FROM	ТО	<u> </u>		JGGING IN	TERVALS	
0	1		Soil, brown si				+					
1	18.5		Silty Clay (CL		m		<u> </u>	+				
18.5	TD		End of Boreh				1					\dashv
	-											\neg
												\neg
]
]
						· · · · · · · · · · · · · · · · · · ·	_			- · · · · · · · · · · · · · · · · · · ·		
												
7 1001 == :	070510 05	LANCE	IEDIO CEDE	TION		, ,						
					well was						er my jurisdiction and	i
	n (mo/day/yr)			25/06						•	ge and belief. Kansa	
Water Well C	ontractor's Li	icense No.		585			/ater We				lay/yr) 08/21/0	6
	siness name			ated Environ				By (sig	nature) Bra	لم/adley	Johnson	
INSTRU	CTIONS: Ple	ase fill in bla	anks and circle the co	prect answers. Se	nd three cop	oies to Kans	as Depart	ment of He	ealth and Envir	onment/Bytr	ear of Witer, Topeka,	-
nansas (0062U-0001. T	i elepnone:	913-296-5545. Send	one to WATER W	ELL OWNE	:K and retair	n one for	your record	15.			