

MW8

1 LOCATION OF WATER WELL: County: RUSSELL Fraction: NW 1/4 SW 1/4 NW 1/4 Section Number: 32 Township Number: T 13 S Range Number: R 15 E

Distance and direction from nearest town or city street address of well if located within city? 99 MARKET, E. Hwy. 40 GORHAM, KS
2 WATER WELL OWNER: WELGET OIL COMPANY. RR#, St. Address, Box #: PO Box 136 City, State, ZIP Code: GORHAM, KS 67640

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram showing section box with X in NW corner]
4 DEPTH OF COMPLETED WELL: 20 ft. ELEVATION: 1908.08
Depth(s) Groundwater Encountered: 14.5 ft. 2. ft. 3. ft.
WELL'S STATIC WATER LEVEL: 7.67 ft. below land surface measured on mo/day/yr 04/06/98
Pump test data: Well water was ... ft. after ... hours pumping ... gpm
Est. Yield ... gpm: Well water was ... ft. after ... hours pumping ... gpm
Bore Hole Diameter: 8.5 in. to 24 in. to ... in. to ... ft.
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
Was a chemical/bacteriological sample submitted to Department? Yes. No. X; If yes, mo/day/yr sample was submitted
Water Well Disinfected? Yes NO

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued ... Clamped ...
2 PVC 4 ABS 7 Fiberglass ... Tapped ...
Blank casing diameter: 2 in. to 10 ft. Dia. 2.073 in. to ... lbs./ft. Wall thickness or gauge No. 0.13
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
2 Louvered shutter 4 Key punched 7 Torch cut 9 Drilled holes
SCREEN-PERFORATED INTERVALS: From 10 ft. to 20 ft. From ... ft. to ... ft.
GRAVEL PACK INTERVALS: From 8 ft. to 24 ft. From ... ft. to ... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals: From 1 ft. to 8 ft. From ... ft. to ... ft.
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
13 Insecticide storage
Direction from well? W How many feet? 150

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows: 0-11 SILTY CLAY, 11-24 SAND

RECEIVED
MAY 11 1998
BUREAU OF WATER

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 04/01/98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/yr) 05/07/98 under the business name of CORANCE INC. by (signature)