

MWS

1 LOCATION OF WATER WELL: County: RUSSELL	Fraction: NW 1/4 SW 1/4 NW 1/4	Section Number: 32	Township Number: T 13 S	Range Number: R 15 E
---	---------------------------------------	---------------------------	--------------------------------	-----------------------------

Distance and direction from nearest town or city street address of well if located within city?
99 MARKET E. HWY 40 GORHAM, KS

2 WATER WELL OWNER: **WEIGEL OIL CO.**
 RR#, St. Address, Box #: **PO BOX 136**
 City, State, ZIP Code: **GORHAM, KS 67640**
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N	
X	
SW	SE
S	

4 DEPTH OF COMPLETED WELL: **20** ft. ELEVATION:
 Depth(s) Groundwater Encountered: **15** ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL: **7.03** ft. below land surface measured on mo/day/yr **04/06/98**
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter: **8.5** in. to **24** ft. and in. to ft.
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only **10 Monitoring well**
 Was a chemical/bacteriological sample submitted to Department? Yes. No. **X**; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes **No**

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below)
 7 Fiberglass
 Blank casing diameter: **2** in. to **10** ft. Dia. in. to ft. Dia. in. to ft.
 Casing height above land surface: **-4.08** in. weight **2.073** lbs./ft. Wall thickness or gauge No. **0.13**
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot **3 Mill slot** 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From **10** ft. to **20** ft. From ft. to ft.
 From ft. to ft. From ft. to ft.
 GRAVEL PACK INTERVALS: From **8** ft. to **24** ft. From ft. to ft.
 From ft. to ft. From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout **3 Bentonite** 4 Other
 Grout intervals: From **1** ft. to **8** ft. From ft. to ft. From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy **10 Livestock pens** 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon **11 Fuel storage** 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? **SE** How many feet? **80**

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	11	SILTY CLAY			
11	16.5	SILTY SANDY CLAY			
16.5	22	SAND			
22	24	SILTY CLAY			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was **1 constructed**, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **03/31/98** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. **594** This Water Well Record was completed on (mo/day/yr) **05/07/98** under the business name of **CORANCO INC.** by (signature) *[Signature]*

OFFICE USE ONLY
T
R
EAW
SEC.
1/4
1/4
1/4