		RECORD	Form WWC-	· <u>S</u>			Resources; App. No.		
1 LOC	ATION OF ty: E11	F WATER WELL: is	Fraction SE _{1/4} SE 1/4 S	SE 1/4	Section No.	umber	Township Number T 13 S	Range Number R 16 XEXW	
Dista	nce and dir	ection from nearest town or c	from nearest town or city street address of well if			Global Positioning Systems (decimal degrees, min. of 4 digits)			
locate	ed within ci	$_{ m ty?}$ North of Wall	North of Walker 5 miles			Latitude:			
2 33/47	WATER WELL OWNER.				Longitude:				
Z WA	WATER WELL OWNER: Harold Schmidler RR#, St. Address, Box # : 2920 Feedlot RD				Elevation:				
	State, ZIP	·			Datum: Data Col	lastion N	Mothod:		
	ATE WEL				Data Col.		vietnou.		
	ATE WEL	The state of the s							
	H AN "X"	IN Depth(s) Groundwater	Depth(s) Groundwater Encountered (1)32.5 ft. (2) ft. (3) ft.						
SEC	TION BOX	K: WELL'S STATIC WATER LEVEL 240 ft. below land surface measured on mo/day/yr11/.20/.06							
	N Pump test data: Well water was. 2.80ft. after								
	Est. Yield								
w NV	WELL WATER TO BE USED AS:15 Public water supply Note: The conditioning of the condition o								
" -	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
sw	SW SE								
	Was a chemical/bacteriological sample submitted to Department? Yes Nox; If yes, mo/day/yrs								
	Sample was submitted								
5 TYPE OF CASING USED: 2 5 Wrought Iron 8 Concrete tile CASING JOINTS: Gluedx Clamped									
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded									
2 PVC 4 ABS 7 Fiberglass Threaded. Blank casing diameter 5 in to 320 ft., Diameter in to ft., Diameter in									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)									
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: 8									
1 Continuous slot 3 Mill slot 5. Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From36.0									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout In		From9 Q ft. to							
		source of possible contamina			11. 10		., 1 10111	16. 60	
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)								below)	
		sewer lines 6 Seepage pit			er Storage		0		
FROM	TO	LITHOLOGI		FROM			PLUGGING INTE		
0	3	Topsoil		- 1.01/1			120001101111		
3	1.0	Gumbo Clay							
10	12	Limestone							
12	80	Weathered shale	9						
80	280	Dry Hard Shale							
280 325	325 360	<u>Dakota Clay</u> Sand Rock							
J <u>L</u> J	300	Dana Rock							
7 CONT	D A CTOP	O'C OD I ANDOUNEDIO C	EDTIFIC ATION: 7	Thia	na11	(1)	tmustad (2)	atad an (2) -1 1	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12./.11/.06 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No									
Under th	e business	nameKoærst Water We	ell DRilling	& SEE	y (signatu	nc	1		
INSTRUC	TIONS: Use	typewriter or ball point pen. PLEAS	E PRESS FIRMLY and PRI	VT clearly.	Please fill in	blanks, un			
copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.									
270-3322. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.									