	WATER WELL RECORD Form WWC-5					KSA 82a-1212 0064				
1 LOCATION OF WATER I	CATION OF WATER WELL: Fraction			Section Number		o Number	· ·			
County: Ellis	NE		NW 1/4		т 13	S	R	17	X€∕W	
Distance and direction from	nearest town or city :	street address of well if	located within	city?						
Catherine, Kans	sas No stre	et address								
2 WATER WELL OWNER	: Mary Staab									
RR#, St. Address, Box #	: 1917 MacArth	ur			Board of	of Agriculture, I	Division of	Water F	Resource	
City, State, ZIP Code			14900			tion Number:				
LOCATE WELL'S LOCAT	ION WITH 4 DEPTH	H OF COMPLETED WE	ELL 50	ft. ELEVA	TION:	Upland.				
AN "X" IN SECTION BO	X: Depth(s)	Groundwater Encounter	red 13.5		2	ft. 3			ft.	
i x	WELL'S	STATIC WATER LEVEL		ft. below land sur	rface measured	on mo/day/yr	10/1/	91		
NW	NE	Pump test data: We	ell water was .	34 ft. a	ıfter <u>1</u>	hours pu	mping	8	gpm	
	Est. Yield	8 gpm: We								
# w i	Bore Hole	Diameter 10	.in. to 50		and	in.	. to		ft.	
* w !	WELL W	ATER TO BE USED AS	S: 1 5 Public	water supply	8 Air condition	ning 11	Injection v	vell		
sw	SE 1 Do	mestic 3 Feedlo	t 6 Oil fiel	d water supply	9 Dewatering	12	Other (Sp	ecify bel	low)	
		gation 4 Industri	ial 7 Lawn	and garden only	10 Monitoring	well,				
	Was a ch	emical/bacteriological sa	ample submitted	to Department? Y	esNo	X; If yes,	mo/day/y	r sample	was sub	
5	mitted			Wa	ter Well Disinfe	ected? Yes X		No		
5 TYPE OF BLANK CASIN	IG USED: 2	5 Wrought iron	n 8 C	oncrete tile	CASING	JOINTS: Glued	1X	Clamped	1	
1 Steel	3 RMP (SR)	6 Asbestos-Ce	ement 9 C	ther (specify below	w)	Weld	ed			
2 PVC	4 ABS	7 Fiberglass				Threa	aded			
Blank casing diameter 5	5 in. to	30 ft., Dia .		n. to	ft., Dia		in. to		ft.	
Casing height above land se	urface2 <u>4</u>	in., weight	2 • 29	Ibs./	ft. Wall thickne	ss or gauge N	o •	26		
TYPE OF SCREEN OR PE	RFORATION MATERI	AL: 7		7_PVC	10	Asbestos-ceme	nt			
1 Steel	3 Stainless steel	5 Fiberglass	1	RMP (SR)	11 (Other (specify)				
2 Brass	4 Galvanized steel	6 Concrete tile	9 9	9 ABS	12	None used (op	en hole)			
SCREEN OR PERFORATION	ON OPENINGS ARE:8	5	Gauzed wrapp	ed	8 Saw cut		11 None	open l	nole)	
1 Continuous slot	3 Mill slot	6	Wire wrapped		9 Drilled hol	es				
2 Louvered shutter	4 Key punche		Torch cut			ecify)				
SCREEN-PERFORATED IN	TERVALS: From.	5.0 f	t. to 30.	ft., Fro	m	ft. to	o		ft.	
		f								
GRAVEL PACK IN	ITERVALS: From.	20 f	t. to50	ft., Fro	m	ft. to	o		ft.	
	From	ft	t. to	ft., Fro	m	ft. to	<u> </u>		ft.	
6 GROUT MATERIAL: 1	1 Neat cement	2 Cement grout			Other					
		2.4 ft., From		ft. to						
What is the nearest source	•				•	14 A			rell	
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel storage		15 Oil well/Gas well			
2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)			
3 Watertight sewer line	es 6 Seepage pit	9 Feedy	yard		ticide storage					
Direction from well?	1 171 101	0010 1 00		How mai	ny feet?	DI LICONIO II	UTED (A)			
FROM TO		OGIC LOG	FRO	м то		PLUGGING II	NIEHVAL	5		
1 1	opsoil					- 145			~~	
	ambo									
	and and gumbo									
	cavel									
41 50 Si	nale									
								-		
		7-10-2-10-2								

7 CONTRACTOR'S OR LA										
completed on (mo/day/year)			· · · · · · · · · · · · · · · · · · ·	. and this reco	ra is true to the	best of my kno 10/23/	wiedge at 91	nd belief	. Kansas	
Water Well Contractor's Lice	mse No÷2.	Inis vv	ater well necor	o was completed o	on (mo/day/yr)	19				
under the business name of						March	<u></u>			
INSTRUCTIONS: Use typewrite of Health and Environment, Bu								isas Depai	unent	