•		WA	TER WELL REC	ORD Form WW	C-5	KSA 82a-1	212 ID No	).				
		TER WELL:	Fraction)	- >	``		tion Number	Township Num	nber	Rar	nge Num	ber
County:	1/15		FW 1/4	SW 1/4 5	W 1/4		36	т /3	s	R	17	E/W
	, ,	from nearest tov	wn or city street a	ddress of well if loc	ated wit	hin city?		· · · · · · · · · · · · · · · · · · ·				2
Imi	1e E	35T of	1314	+ CANTER	boo	e V	HAYS	K5				K,
2 WATER V			e Webe			-	7					
⊢– RR#, St. Add		July	HUNCK	الريد المراجع				Board of Agric	sultura Di	vision of \	Natar R	ecources
City, State, Z		Hai	15. KS	660				Application No		VISION OF	valor in	33001003
			A DEPTH OF C	OMPLETED WELL	2.5		ft. ELEVAT	TON:				
AN "X" IN	SECTION	BOX:	Depth(s) Grour	dwater Encountered	1 1	21	ft	2	ft 3			ft
	<u> </u>	<del>,  </del>						measured on mo/d				
	; l.		Pur	np test data: Well	water w	as	ft. a	fter	hours pu	mping		gpm
1	w -	-NE						fter				gpm
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below										w/)		
w	<u> </u>	E	2 Irrigation	4 Industrial				10 Monitoring well				
	;					•	,					
5	sw -	- SE	Was a chemica	l/hacteriological san	nnla euh	mitted to F	)anartmant2 V	as No .	If yes mo	/day/yre	eamnla :	was sub-
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs sample was mitted Water Well Disinfected? Yes No											i	
×												
E TYPE OF	S	ACINO HOED						0.0000				i
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR)				5 Wrought iron 6 Asbestos-Ceme	nt	8 Concrete tile 9 Other (specify below)		CASING JOIN				
2 PVC 4 ABS				7 Fiberglass	111		specify below)					
	diameter		in. to	9	ia			ft., Dia				
								bs./ft. Wall thickness				
		PERFORATIO		, <b>.</b>		7 PV		10 Asbes			16	
1 Steel 3 Stainless Steel				5 Fiberglass		8 RMP (SR)		11 Other (Specify)				
2 Brass		4 Galvaniz	ed Steel	6 Concrete tile		9 ABS	3	12 None	used (ope	en hole)		
SCREEN OF	PERFOR	ATION OPENIN	IGS ARE:	5	Guazed	wrapped		8 Saw cut		11 None	(open h	ole)
1 Contin	uous slot	3 M	lill slot		apped		9 Drilled holes					
2 Louve	red shutter	4 K	ey punched	7	Torch cu	t		10 Other (specify)				ft.
SCREEN-PE	RFORATE	D INTERVALS:										
0.5	) 4) /EL DA /	N. INITEDIAL O	From	ft. to			ft., From .		ft. to .	•••••		ft.
GF	(AVEL PAC	CK INTERVALS										
			1 10111		,		11., 110111 .		11. 10 .	***************************************		
6 GROUT	MATERIA	L: 1 Neat	t cement	2 Cement grout		3 Bento	onite 4	Other				
Grout Interva	ls: From	12.	ft. to <i>Q</i>	ft., From		ft. to		ft., From		. ft. to		ft.
What is the n	earest sou	irce of possible	contamination:				10 Livesto	ock pens	14 Ab	andoned	water w	/ell
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel st		orage	Dil well/Gas well			
2 Sewer lines 5 Cess pool				8 Sewage la				er storage	her (spec	ify belov	v)	
3 Watertight sewer lines 6 Seepage pit				9 Fee	dyard		13 Insecti	cide storage				
Direction from	n well?						How many	y feet?				
FROM	TO		LITHOLOGIC	LOG		FROM	TO	PLUG	GING INT	ERVALS		
0	2	TER SU	21/									
2	17	CIAY										
17	22	SANT	)					St. den				
22	25	BIVE	CIAY						,			
								( / 5/5/	CEIV	ED.		
							1	+ +104	OF IV			
							103	, , , , , , , , , , , , , , , , , , ,	A 9 2	004		
				97/11	201	7 1		NUV	0 3 2	004		
				YIU	77				· · OF V	MATER	·	
				7 / 0	1 00			BUREAU OF WATER				
7 CONTRAC	TOR'S O	R LANDOWNE	R'S CERTIFICAT	ION: This water we	ell was /	1) constru	cted. (2) recor	nstructed, or (3) pluc	aged unde	er my jurio	sdiction	and was
								ord is true to the best				
Water Well Co			478					on (mo/day/yr)		1	104	
under the busi		110	enstiel	11 hter 11.	ell		-	ignature)	1	1	M	In
INSTRUCTION	NS: Use type	vriter or ball point per	n. <u>PLEASE PRESS</u> FI	RMLY and PRINT clearly.	Please fill i	n blanks, unde	erline or circle the c	correct answers. Send top the	nree copies to	Kansas De	paytment a	Health
and Environme	ent, Bureau o							22. Send one to WATER W			orle thrubu	ır
										/4 /		