							82a-1				· · · · · · · · · · · · · · · · · · ·		
LOCATION OF WATER WELL:		Fraction VE 14 S			ر کی	Section Number			Township Number			Range Number	
istance and direction	from nearest tov			well if loc	SE 1/4	<u>ー ンノ</u> citv?			<u>עו</u>	S	R	10	EW
		•										•	
WATER WELL OW	NER: Leroy	s Diamond	Sham	rock	Servi	e e							
R#, St. Address, Bo								Boar	d of Agi	riculture,	Division (of Water	Resource
ity, State, ZIP Code	: Hays,	Ks. 6760)1				#7	7 Appl	cation f	Number:			
LOCATE WELL'S L	OCATION WITH			D WELL	51.	ft. ELI	EVAT	ION:					
AN "X" IN SECTIO	N BOX:												
		Depth(s) Ground WELL'S STATIO	WATER I	EVEL .	26:13	ft. below land	surfa	ace measur	ed on n	no/dav/vi			
NW	NE	Est. Yield											
,		Bore Hole Diame	-1							•			-
* -	, ,	WELL WATER 1				water supply		Air condit			Injection		
. 1	1 1	1 Domestic	3 F	eedlot	6 Oil fie	d water supply	, 9	Dewaterir	ng	12	Other (S	pecify be	elow)
sw	SE	2 Irrigation	4 Ir	ndustrial		and garden on							
		Was a chemical/	bacteriolog	ical samp	ole submitted	to Department	? Yes	N	0	X; If yes	s, mo/day/	yr sampl	e was su
	Ş	mitted	_	•			Wate	er Well Disi	nfected?	? Yes	-	No 🗴	
TYPE OF BLANK	CASING USED:		5 Wroug	ht iron	8 0	Concrete tile		CASIN	G JOIN	TS: Glue	ed	. Clampe	d
1 Steel	3 RMP (S	R)	6 Asbes	tos-Ceme	ent 9 C	Other (specify b	elow))		Wel	ded		
2 PVC	4 ABS		7 Fiberg	lass						Thre	aded	Х	
lank casing diameter	· .5	.ing to 21	ft.,	Dia ,	أنام والمحاربة	in. to		ft., Dia .			in. to		ft
Blank casing diameter Casing height above I	and surface	. <i>U</i>	.in., weigh	nt	2.355		lbs./ft.	. Wall thick	ness or	gauge 1	۱o •	214	
YPE OF SCREEN O						7 PVC				stos-cem			
1 Steel	3 Stainles:	s steel	5 Fiberg	lass		8 RMP (SR)		1	1 Other	(specify)		
2 Brass	4 Galvaniz	zed steel	6 Concre	ete tile		9 ABS		1	2 None	used (o	pen hole)		
CREEN OR PERFO	RATION OPENIN	IGS ARE:		5 G	auzed wrapp	ed		8 Saw cut			11 Nor	ne (open	hole)
1 Continuous al	- 2 1/												
 Continuous sk 	JL 3 IV	fill slot		6 W	ire wrapped			9 Drilled F	oles				
2 Louvered shut			21	7 To	orch cut		•	10 Other (s	necify)				
	ter 4 K	ey punched	21	7 To	orch cut	.1 _{ft.,}	From	10 Other (s	necify)				
2 Louvered shut	ter 4 K	fey punched From		7 To	orch cut	.1	From From	10 Other (s	pecify)	ft. ft.	to to		
2 Louvered shut SCREEN-PERFORAT	ter 4 K	fey punched From		7 To	orch cut 0		From From From	10 Other (s	pecify)	ft. ft.	to to		
2 Louvered shut SCREEN-PERFORAT	ter 4 K ED INTERVALS:	fey punched From		7 To	orch cut 0	.1	From From From	10 Other (s	pecify)	ft. ft.	to to to		
2 Louvered shut SCREEN-PERFORAT GRAVEL PA GROUT MATERIAL	ter 4 K ED INTERVALS: ACK INTERVALS: L: 1 Neat	From From Cement	18 2 Cement	7 To ft. to ft. to ft. to ft. to grout	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1	From From From From 4 C	10 Other (s	specify)	ft ft ft ft.	to to to		ff
2 Louvered shut SCREEN-PERFORAT GRAVEL PA GROUT MATERIAL	ter 4 K ED INTERVALS: ACK INTERVALS: L: 1 Neat	rey punched From From From	18 2 Cement	7 To ft. to ft. to ft. to ft. to grout	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1	From From From From 4 C	10 Other (s	specify)	ft ft ft ft.	to to to		ff
2 Louvered shut SCREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: Fro	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of the control of the	From From Cement ft. to 2 contamination:	2 Cement	7 To ft. to ft. to ft. to grout From	50	1	From From From 4 C 18	Other (s	specify)	ft. ft. ft. 	totototototototo	d water v	
2 Louvered shut SCREEN-PERFORAT GRAVEL PA GROUT MATERIAL GROUT Intervals: Fro	ter 4 K ED INTERVALS: ACK INTERVALS: L: 1 Neat of the course of possible 4 Later	rey punched From From From Cement ft. to	2 <u>Cement</u> ft.,	7 To ft. to ft. to ft. to grout From	50	1	From From From 4 C 18 ivesto	Other (s	specify)	ft.	totototototo	d water v	
2 Louvered shut SCREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines	ter 4 K ED INTERVALS: CK INTERVALS: L: 1 Neat of the control of	rey punched From From From cement ft. to 2 contamination: ral lines	2 <u>Cement</u> ft.,	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st	Other (s	specify)	ft.	tototototototto	d water v	
2 Louvered shut SCREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev	ter 4 K ED INTERVALS: ACK INTERVALS: L: 1 Neat of the course of possible 4 Later	rey punched From From From cement ft. to 2 contamination: ral lines	2 <u>Cement</u> ft.,	7 To ft. to ft. to ft. to grout From	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	specify)	ft.	totototototo	d water v	
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	ter 4 K ED INTERVALS: CK INTERVALS: L: 1 Neat of the control of	rey punched From From From cement ft. to 2 contamination: ral lines s pool page pit	2 <u>Cement</u> ft., 7 8 9	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	pecify)	14 / 15 (movec	tototototottottottottottottotd.	d water vas well ecify belo	
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL Frout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of the control of the	rey punched From From From cement ft to 2. contamination: ral lines s pool page pit	2 <u>Cement</u> 2 ft., 7 8 9	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	pecify)	14 / 15 (movec	tototototototto	d water vas well ecify belo	
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 6	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of the control of the control of possible 4 Later 5 Cess over lines 6 Seep Asphalt	rey punched From From From Cement ft. to 2. contamination: ral lines s pool page pit LITHOLOGIC	2 <u>Cement</u> 7 8 9	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	pecify)	14 / 15 (movec	tototototottottottottottottotd.	d water vas well ecify belo	
2 Louvered shut SCREEN-PERFORAT GRAVEL PA GROUT MATERIAL Shout Intervals: From Vhat is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 66 6 3	ter 4 K ED INTERVALS: ACK INTERVALS: 1 Neat of the control of possible 4 Later 5 Cess over lines 6 Seep Asphalt Loess	rey punched From From From cement ft to 2. contamination: ral lines s pool page pit	2 <u>Cement</u> 7 8 9	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	pecify)	14 / 15 (movec	tototototottottottottottottotd.	d water vas well ecify belo	
2 Louvered shut SCREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: From Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 6 6 3 3 5 5	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of the second	rey punched From From From Cement ft. to 2. contamination: ral lines s pool page pit LITHOLOGIC	2 <u>Cement</u> 7 8 9	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	pecify)	14 / 15 (movec	tototototottottottottottottotd.	d water vas well ecify belo	
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 6 6 3 3 5 5 38	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of monoconduction of possible 4 Later 5 Cess over lines 6 Seep Cement Clay & Comment Clay & Comm	rey punched From From From Cement ft. to	2 Cement ft., 7 8 9 LOG	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	pecify)	14 / 15 (movec	tototototottottottottottottotd.	d water vas well ecify belo	
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 6 6 3 3 5 5 38	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of monoconduction of possible 4 Later 5 Cess over lines 6 Seep Cement Clay & Comment Clay & Comm	rey punched From From From Cement ft. to 2. contamination: ral lines s pool page pit LITHOLOGIC	2 Cement ft., 7 8 9 LOG	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	pecify)	14 / 15 (movec	tototototottottottottottottotd.	d water vas well ecify belo	
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 6 6 3 3 5 5 38	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of monoconduction of possible 4 Later 5 Cess over lines 6 Seep Cement Clay & Comment Clay & Comm	rey punched From From From Cement ft. to	2 Cement ft., 7 8 9 LOG	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	pecify)	14 / 15 (movec	tototototottottottottottottotd.	d water vas well ecify belo	
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 6 6 3 3 5 5 38	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of monoconduction of possible 4 Later 5 Cess over lines 6 Seep Cement Clay & Comment Clay & Comm	rey punched From From From Cement ft. to	2 Cement ft., 7 8 9 LOG	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	pecify)	14 / 15 (movec	tototototottottottottottottotd.	d water vas well ecify belo	
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 6 6 3 3 5 5 38	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of monoconduction of possible 4 Later 5 Cess over lines 6 Seep Cement Clay & Comment Clay & Comm	rey punched From From From Cement ft. to	2 Cement ft., 7 8 9 LOG	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	pecify)	14 / 15 (movec	tototototottottottottottottotd.	d water vas well ecify belo	
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 6 6 3 3 5 5 38	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of monoconduction of possible 4 Later 5 Cess over lines 6 Seep Cement Clay & Comment Clay & Comm	rey punched From From From Cement ft. to	2 Cement ft., 7 8 9 LOG	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	pecify)	14 / 15 (movec	tototototottottottottottottotd.	d water vas well ecify belo	
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 6 6 3 3 5 5 38	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of monoconduction of possible 4 Later 5 Cess over lines 6 Seep Cement Clay & Comment Clay & Comm	rey punched From From From Cement ft. to	2 Cement ft., 7 8 9 LOG	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	pecify)	14 / 15 (movec	tototototottottottottottottotd.	d water vas well ecify belo	
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 6 6 3 3 5 5 38	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of monoconduction of possible 4 Later 5 Cess over lines 6 Seep Cement Clay & Comment Clay & Comm	rey punched From From From Cement ft. to	2 Cement ft., 7 8 9 LOG	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	pecify)	14 / 15 (movec	tototototottottottottottottotd.	d water vas well ecify belo	
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 6 6 3 3 5 5 38	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of monoconduction of possible 4 Later 5 Cess over lines 6 Seep Cement Clay & Comment Clay & Comm	rey punched From From From Cement ft. to	2 Cement ft., 7 8 9 LOG	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	pecify)	14 / 15 (movec	tototototottottottottottottotd.	d water vas well ecify belo	
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 6 6 3 3 5 5 38	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of monoconduction of possible 4 Later 5 Cess over lines 6 Seep Cement Clay & Comment Clay & Comm	rey punched From From From Cement ft. to	2 Cement ft., 7 8 9 LOG	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	pecify)	14 / 15 (movec	tototototottottottottottottotd.	d water vas well ecify belo	
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 6 6 3 3 5 5 38	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of monoconduction of possible 4 Later 5 Cess over lines 6 Seep Cement Clay & Comment Clay & Comm	rey punched From From From Cement ft. to	2 Cement ft., 7 8 9 LOG	7 To ft. to ft. to ft. to ft. to grout From Pit privy Sewage	50	1	From From From 4 C 18 ivesto uel st ertiliz	Other (s	pecify)	14 / 15 (movec	tototototottottottottottottotd.	d water vas well ecify belo	
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL Frout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 6 3 3 5 38 38 51	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of the second of possible 4 Later 5 Cess over lines 6 Seep Asphalt Loess Cement Clay & Med Sai	rey punched From From From Cement Ift. to 2. contamination: ral lines s pool page pit LITHOLOGIC Caliche nd & Grav	2 <u>Cement</u> 7 8 9 LOG	7 Toft. t	Section Sect	1	From From 4 C 18 ivesto uel st ertiliz many	Other (s	PLU	14 / 15 (moved	totototototto	ad water vas well ecify belo	fi
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL frout Intervals: Fro /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevelirection from well? FROM TO 0 .6 .6 .3 .3 .5 .5 .38 .38 .51 CONTRACTOR'S	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of the control of possible 4 Later 5 Cess over lines 6 Seep 1 Loess Cement Clay & Med. San 1 Med. San 1 OR LANDOWNEI	rey punched From From From Cement Ift. to 2. contamination: ral lines s pool page pit LITHOLOGIC Caliche nd & Grav R'S CERTIFICATI	2 Cement This	7 TCft. trft. t	Society Soci	1	From From 4 C 18 ivesto uel st ertiliz many	Other (s	PLU	ft ft ft 14 / 15 (movec	tototototototototototototototothe control of the	d water vas well ecify beloated to the state of the state	fi
2 Louvered shut CREEN-PERFORAT GRAVEL PA GROUT MATERIAL rout Intervals: Fro hat is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well? FROM TO 0 6 6 3 3 5 5 38 38 51	ter 4 K ED INTERVALS: CK INTERVALS: 1 Neat of monoconcer of possible 4 Later 5 Cess over lines 6 Seep Asphalt Loess Cement Clay & Med. San	rey punched From From From Cement Ift. to 2. contamination: ral lines s pool page pit LITHOLOGIC Caliche nd & Grav R'S CERTIFICATI -25-96.	2 Cementft., 7 8 9 LOG	7 TCft. to ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	Social Section Section	1	From From 4 C 18 ivesto uel st ertiliz many	Other (s	PLU	ft ft ft 14 / 15 (movec	to	ad water vas well ecify beloated to the control of	ff ff well w) orage

er the business name of Woofter Pump & Well, Inc. by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three corpes to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.