

1 LOCATION OF WATER WELL
 County: Ellis Fraction NW 1/4 NW 1/4 SW 1/4 Section Number 26 Township Number T 13 S Range Number R 18 EW

Distance and direction from nearest town or city? 1 m East 1/2 m South of Gene Ferry Filling Station north of Hays Street address of well if located within city?

2 WATER WELL OWNER: Jim Neasey
 RR#, St. Address, Box #: 516 W 33 St
 City, State, ZIP Code: Hays, Kan 67601 Board of Agriculture, Division of Water Resources Application Number:

3 DEPTH OF COMPLETED WELL: 33 ft. Bore Hole Diameter: 10 in. to ft., and in. to ft.
 Well Water to be used as:
 1 Domestic 2 Irrigation 3 Feedlot 4 Industrial 5 Public water supply 6 Oil field water supply 7 Lawn and garden only 8 Air conditioning 9 Dewatering 10 Observation well 11 Injection well 12 Other (Specify below)
 Well's static water level: 14 ft. below land surface measured on 10 month 9 day 1980 year
 Pump Test Data: Well water was ft. after hours pumping gpm
 Est. Yield 4 gpm: Well water was ft. after 1/2 hours pumping bauling gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) styrene 250 Casing Joints: Glued Clamped Welded Threaded
 Blank casing dia: 5 in. to 13 ft., Dia: in. to ft., Dia: in. to ft.
 Casing height above land surface: 48 in., weight lbs./ft. Wall thickness or gauge No: 5/16
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 PVC 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) styrene 250 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 11 None (open hole) 10 Other (specify)
 Screen-Perforation Dia: 5 in. to ft., Dia: in. to ft., Dia: in. to ft.
 Screen-Perforated Intervals: From: 13 ft. to 33 ft., From: ft. to ft., From: ft. to ft.
 Gravel Pack Intervals: From: ft. to ft., From: ft. to ft., From: ft. to ft.

5 GROUT MATERIAL: Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From: 5 1/2 ft. to 15 ft., From: ft. to ft., From: ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 2 Sewer lines 3 Lateral lines 4 Cess pool 5 Seepage pit 6 Pit privy 7 Sewage lagoon 8 Feed yard 9 Livestock pens 10 Fuel storage 11 Fertilizer storage 12 Insecticide storage 13 Watertight sewer lines 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
 Direction from well: East How many feet: 60 ? Water Well Disinfected? Yes No
 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample was submitted month day year: Pump Installed? Yes No
 If Yes: Pump Manufacturer's name Model No. HP Volts
 Depth of Pump Intake ft. Pumps Capacity rated at gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on 10 month 9 day 1980 year and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 276
 This Water Well Record was completed on 10 month 9 day 1980 year under the business name of Lucas Water Well Drilling by (signature) John Lucas

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
	0	7	Top soil			
	7	16	Brown Clay			
	16	22	7 Gray sand m/c. H. sand			
	22	30	Light Blue clay w/ yellow Rock			
	30	33	Light Blue shale			

ELEVATION: ft.
 Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
13
R
18
SEC
26
NW 1/4
NW 1/4
SW 1/4