| | | | WAT | ER WELL RECO | ORD F | orm WWC | C-5 KSA 82 | | | | |
|---|--------------|--------------------------|-------------------------------|-------------------|----------------|--|---|-----------------|--------------------------|-----------------------------|--|
| | ION OF WA | TER WELL: | Fraction | A.B. / | C) I | l l | Section Numbe | | ip Number | Range Number | |
| County: | | | | 4 NW 1/4 | | 1/4 | 34 | T | 13 s | R 18 E(w) | |
| 1 | | from nearest tov | - | | if located | within city | ? | | | | |
| | | treet, Hays, | | | | | | | | | |
| | R WELL OW | 000 | ve's Country | | | | | | | 5 111 1111 5 | |
| RR#, St. Address, Box # : 2605 Vine Street City. State. ZIP Code : Hays, Kansas 67601 | | | | | | Board of Agriculture, Division of Water Resource | | | | | |
| | e, ZIP Code | | | | | | | | ation Number: | | |
| AN "X" | E WELL'S L | OCATION WITH N BOX: _ | | | | | | | | 3 | |
| ا تا | 1 | - | WELL'S STATE | C WATER LEVE | EL | ft. | below land si | urface measure | d on mo/day/y | r | |
| | 1 | | Pun | np test data: V | Vell water | was | ft. | after | hours p | umping gpm | |
| | NW | NE | Est. Yield | gpm: V | Vell water | was | ft. | after | hours p | umping gpm | |
| Bore Hole Diameter. 7.5/8 in. to | | | | | | | and, | i | n. to | | |
| N N | Χ Ι | | WELL WATER TO BE USED AS: 5 P | | | | ublic water supply 8 Air conditioning 11 Injection well | | | | |
| 7 | 1 | 1 . | 1 Domestic | 3 Feedl | ot 6 | Oil field v | water supply | | | Other (Specify below) | |
| | SW | >= | 2 Irrigation | 4 Indus | trial 7 | Lawn and | d garden only | 10 Monitoring | well | | |
| | ; | | Was a chemica | l/bacteriological | sample sul | bmitted to | Department? | YesNo | ; If ye: | s, mo/day/yr sample was sut | |
| I - | | | mitted | | | | w | ater Well Disin | fected? Yes | No L | |
| 5 TYPE | OF BLANK (| CASING USED: | : | 5 Wrought in | on | 8 Con | crete tile | CASING | JOINTS: Glue | ed Clamped | |
| 」 1 St | teel | 3 RMP (SI | R) | 6 Asbestos-C | Cement | 9 Othe | er (specify belo | ow) | Wel | ded | |
| (2)P\ | VC | 4 ABS | • | 7 Fiberglass | | | | · | Thre | | |
| Blank cas | ing diameter | | .in. to | 4.5 . ft., Dia | | in. | to | ft., Dia | | . in. to ft. | |
| | | | | | | | | | | No Sch | |
| 1 | - | R PERFORATION | | | | (7)F | | | Asbestos-cem | | |
| 1 St | | 3 Stainless | | | | | RMP (SR) | | 11 Other (specify) | | |
| 2 Br | | 4 Galvaniz | | | | 9 ABS | | | 12 None used (open hole) | | |
| | | RATION OPENIN | | | | | | 8 Saw cut | (- | 11 None (open hole) | |
| | | _ | lill slot | | 6 Wire wrapped | | | 9 Drilled ho | iles | (open note) | |
| 1 Continuous slot (3)Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) | | | | | | | | | | | |
| 1 | | ED INTERVALS: | From | | | | 45 ft Fr | | | toft. | |
| COME | | 25 | | | | | | | | toft. | |
| 1 | GRAVEL PA | CK INTERVALS: | | | | | | | | toft | |
| | O | | From | | ft. to | | | om | | to ft | |
| 6 GROU | T MATERIAL | : 1 Neat o | cement | (2) Cement group | ut | (3)Ber | ntonite 4 | Other | | | |
| Grout Inte | rvals: Fro | m0 | ft. to40. | 5 ft From | n40. | 5 ft. | to 42. | 5 ft From | m | ft. toft. | |
| 1 | | ource of possible | | | | | | stock pens | | Abandoned water well | |
| | | 4 Later | | | | | 11) Fuel storage 15 Oil well/Gas well | | | | |
| 2 Sewer lines 5 Cess | | | | | | n | 12 Fertilizer storage 16 Other (specify below) | | | | |
| 3 Watertight sewer lines 6 Seepa | | | · · | | | | | cticide storage | | | |
| 1 | from well? | northeast | | 0 , 00. | -, | | | any feet? | 5 | | |
| FROM | TO | | LITHOLOGIC | LOG | | FROM | TO | uriy root. | PLUGGING | INTERVALS | |
| 0 | 4" | ASPHALT | | | | | | Flush mo | unt cover | | |
| 4" | 2' | | TO V SLTY. | BRN W/MOD | TAN | | | | | | |
| | | | . TR GRVL | | | | | OBW1 | | | |
| | | SND | , VIJE | | 2.111 | | | | | | |
| 2 | 8 | | RN, SL SLT | Y. TR CALC | CLSTS | | | | | | |
| 8 | 13 | | RN. SL SLT | | | | 60 | V MOIST | | | |
| | 13 | TR SND. M | | I IN ONE | 2 05010 | 60 | 64 | | DISCOL | MOD CLYEY, SAT | |
| 13 | 18 | | RN CLY, MO | D SITY CAL | <u></u> | 64 | 65 | SHALE. V | HARD GRY | - BLK IN COLOR | |
| | 10 | CLSTS | | D 5611,0/1 | | | | | | | |
| 18 | 25 | | RN CLY, MO | D SLTV CA | VI C | | | | | | |
| 10 | 25 | | D TO V SLT | | 120 | | | | | | |
| 25 | 37 | | RN CLY, SL | | ИΔТ | 1, | | | | | |
| 25 | 3/ | | O SL SNDY | | 1/A.I. s | | | | | | |
| 27 | 42 | | TO V CLYE | | r - | | | | | | |
| 37 | | | BRN, V SLT | | | | + | | | | |
| 42 | 60 | | | | | | | | (A) -1 | den and build distance and | |
| | | | | | , | | | | | der my jurisdiction and was | |
| completed on (mo/day/year) | | | | | | | | | | | |
| Water Well Contractor's License No | | | | | | | | | | | |
| under the business name of GeoCore Services, Inc. by (signature) | | | | | | | | | | | |