				R WELL RECO	RD FOI							<del>-</del>		<del></del>	_
1 LOCATION OF WATER WELL:			Fraction			Se	1				Range Number				
County:			NE 1/4		NE		28		Τ	13	S	R	18	_ <b>E</b> (W)	_
	Distance and direction from nearest town or city street address of well if located within city?  3701 Hays														
	R WELL O	NNER Holiday	66 Food Plaza												1
$\vdash$	Address, Bo							D.	ard of	Aariaul	hura Divid	nion of N	Motor D	ecurcos.	1
	, ZIP Code	. Hays, KS								agricui on Numi		sion or v	valet N	esources	
	E WELL'S	OCATION L	DEDTI OF O	DADI ETED ME		20	A 515		<u> </u>						٦.
P WITH A	AN "X" IN S	ECTION DOV. I '		OMPLETED WEL											
_				pth(s) Groundwater Encountered 1											
♠	1											-			
	NA/	Pump test data: Well water was NA ft. after hours pumping gpm												n	
	- 1400	Pump test data: Well water was NA ft. after hours pumping gpn Est. Yield NA gpm: Well water was ft. after hours pumping gpn											n		
W Mie	!	Bore Hole Diameter 6. in to 28 ft., and in to										f	t.		
<u>+</u>		E WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well										유			
١, ١	1		1 Domestic	3 Feedlot	6 Oil	field wa	ter supply	9 D	ewater	ing	(12)	Other (\$	Specify	below)	OFFICE
-	- SW	SE	2 Irrigation	4 Industria			garden only					Air sp	arge .		.   =
	i	l i I Iv		Vbacteriological	sample su	bmitted	to Departmen	t? Ye	s	.No.	; If yes	, mo/da	y/yr sam	ple was	SE
<u> </u>			submitted	Ū	•					infected			No 1		-   P
5 TYPE (	OF BLANK	CASING USED:		5 Wrought iron	1	8 Cond	crete tile		CASIN	IG JOIN	TS: Glue	d	. Clami	ed	77
1 St		3 RMP (SR)		6 Asbestos-Ce			r (specify bek								
(2)P\		4 ABS		7 Fiberglass		o calo		···,							
		·	in to 2												
		and surface													
				in., weight		(7)P\		/IL VV			stos-cem			••••	
1		R PERFORATION I				` '									
1 St		3 Stainless s		5 Fiberglass			MP (SR)								
2 Br		4 Galvanized		6 Concrete tile		9 AI		12 None used (open hole)							
		RATION OPENING		rapped		8 Saw cut 11 None (open hole)									
	ontinuous s				Wire wrap				rilled h						
	ouvered shu		punched		Torch cut										.
SCREEN	PERFORAT	ED INTERVALS:	From	. <b>26</b> ft.	to	28	ft., Fr	rom			ft.	to		!	t.
			From	ft.	to		ft., Fr	rom			ft.	to		<i></i> . 1	<u>"</u>   20
G	GRAVEL PA	CK INTERVALS:		. 24 ft.											
				ft.				rom			ft.	to		<i></i> 1	T.
	T MATERIA		ement	2 Cement grout	• (	3 Beni	tonite 4								
Grout Inter	rvals: Fro	m <b>. 2</b> f	ft. to 24.	ft., From		ft.	. to	<i></i>	ft, Fr	om	<sup>.</sup>	ft. to	o <i>.</i>	1	t
What is th	ne nearest s	ource of possible o	contamination:			10 Live	stock	pens		14 A	bandon	ed wate	r well		
1 Sept	tic tank	4 Lateral	l tines	7 Pit pri	vy ·		11 Fue	l stora	ge		15 C	Oil well/G	as well		١_
1 .	er lines	5 Cess p	oool	8 Sewa	ge lagoon	12 Fertilizer storage					16 C	16 Other (specify below)			
1	ertight sewe			9 Feedy	-		13 Inse								.   `
Direction 1	-		•	•			How ma	any fee	et? 0						
FROM	ТО		LITHOLOGIC	LOG		FROM	TO			PLU	IGGING I	NTERVA	ALS .		]
0	1	Asphalt and Sa	ınd,												<u> </u>
1	4	Clay, silty, plas		own											SEC
4	10	Clay, very silty													
10	13	Clay, very silty						- N-1-1			1.7				
13	18	Clay, very silty			rown										
18	20	Sand (vf-c), sul				-									7
10	20	Sand (VI-C), Sui	orounded, si	. claycy, Gray											7
										`					1 .
															7
															$\dashv$
<u> </u>	·				-		_								$\dashv \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
	<del> </del>														-
					-+										
	· · · · · · · · · · · · · · · · · · ·						-		Flushn						-
							<del></del>				Holiday (				٦,
<u> </u>									***************************************		DHE # U				_ ``
_		OR LANDOWNER'S													
		n (mo/day/year)													
1		contractor's License	e No	527	This W	ater W				on (mo/	day/yr) .	. 7	240	) <del>,</del>	.   ×
under the	business n	ame of	Ge	oCore, Inc.			by (sign	ature)		N	ali.	Vol 1			1.