

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

905


1 LOCATION OF WATER WELL: County: Ellis Fraction NW 1/4 NW 1/4 NW 1/4 Section Number 25 Township Number T 13S Range Number R 18 W/W

Distance and direction from nearest town or city street address of well if located within city? 2 miles west of Hays on Old 40

Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: Longitude: Elevation: Datum: Data Collection Method:

2 WATER WELL OWNER: A1 Denning RR#, St. Address, Box #: 1470 Jeffrey Ave City, State, ZIP Code: Hays, KS 67601

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



4 DEPTH OF COMPLETED WELL: 60 ft. Depth(s) Groundwater Encountered: 22 ft. WELL'S STATIC WATER LEVEL: 26 ft. below land surface measured on 1/29/07 Pump test data: Well water was 23 ft. after 2 hours pumping 10 gpm Est. Yield: 1.0 gpm: Well water was ... ft. after ... hours pumping ... gpm

WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 9 Dewatering 12 Other (Specify below) 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr Sample was submitted Water well disinfected? Yes X No

5 TYPE OF CASING USED: 2 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued X Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded

Blank casing diameter 5 in. to 6.0 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 1.8 in., weight 2.91 lbs./ft. Wall thickness or guage No. 2.1

TYPE OF SCREEN OR PERFORATION MATERIAL: 7 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify) 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 8 1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 60 ft. to 26 ft. GRAVEL PACK INTERVALS: From 60m ft. to 20 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 20 ft. to 0 ft.

What is the nearest source of possible contamination: None 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows include Top Soil, gumbo, gumbo fine sand, fine sand, gravel, River Mud, Sand, River Mud, Sand, shale.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/1/07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 0199 This Water Well Recored was completed on (mo/day/year) 3/21/07 Under the business name of Karst Water Well Drilling & Service

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.