

1 LOCATION OF WATER WELL:
County: Ellis
Fraction: SW 1/4 SW 1/4 SW 1/4
Section Number: 33
Township Number: T 13 S
Range Number: R 18 E/W

Distance and direction from nearest town or city street address of well if located within city?
8th & Walnut, Hays

2 WATER WELL OWNER: CPC Partnership
RR#, St. Address, Box #: P.O. Box 1036
City, State, ZIP Code: Hays, Kansas 67601
Board of Agriculture, Division of Water Resources
Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:
4 DEPTH OF COMPLETED WELL: 25 ft. ELEVATION: 1990.78
WELL'S STATIC WATER LEVEL: 14.2 ft. below land surface measured on 5/27/2008
Pump test data: Well water was NA ft. after hours pumping gpm
Est. Yield: NA gpm: Well water was ft. after hours pumping gpm
Bore Hole Diameter: 8 in. to 25 ft., and in. to ft.
WELL WATER TO BE USED AS: 10 Monitoring well
Was a chemical/bacteriological sample submitted to Department? Yes.....No [X] ; If yes, mo/day/yr sample was submitted
Water Well Disinfected? Yes No [X]

5 TYPE OF BLANK CASING USED:
1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below)
Blank casing diameter: 2 in. to 10 ft., Dia in. to ft., Dia in. to ft.
Casing height above land surface: -3.36 in., weight lbs./ft. Wall thickness or gauge No. Sch. 40
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
SCREEN OR PERFORATION OPENINGS ARE: 3 Mill slot 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)
SCREEN-PERFORATED INTERVALS: From 10 ft. to 25 ft.
GRAVEL PACK INTERVALS: From 8 ft. to 25 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete
Grout Intervals: From 0 ft. to 1 ft. From 1 ft. to 8 ft. From ft. to ft.
What is the nearest source of possible contamination:
1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
Direction from well? How many feet?

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS.
Rows include: 0 to 0.5 Concrete, 0.5 to 1 Sand fill, dry, 1 to 2.5 Clay, silty, dry, no odor, Dark Gray, 2.5 to 12 Clay, silty, dry, no odor, Brown, 12 to 21 Silt, v. clayey, wet @ 14', no odor, Brown, 21 to 25 Clay, v. sandy to silty, wet, Tan.
Bottom row: MW4R, Tag # 0042296, Flushmount; Project Name: Mr. Quik Mini Mart #2 - Monitoring; GeoCore # 382, KDHE # U6 026 00754

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5/27/2008 and this record is true to the best of my knowledge and belief.
Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 6/3/2008 under the business name of GeoCore, Inc. by (signature) Bob Koll

OFFICE USE ONLY

T

R

EM

SEC.

1/4

1/4

1/4