	LL RECORD	FORM WW	<u>U-3</u>		r Kesources App. No		
	N OF WATER WELL:	Fraction		Section Number			
00000		NE ¼ NE ¼ NE ¼ ¼		29	T 13 S		
Street/Rural	Address of Well Location;	if unknown, distance & di	Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here . Latitude:							
	8th St, Hays, KS 67601	·	Longitude: (in decimal degrees)				
1000 W. 3	1000 11. 0001 04 11030, 110 01 001				Elevation:		
				Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Kim Zinzer				Collection Method:			
RR#, Street Address, Box #: 1006 W. 38th St.				GPS unit (Make/Model:)			
City, State, ZIP Code : Havs, KS 67601				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
<u>Est. Accuracy</u> : □ < 3 m, □ 3-5 m, □ 5-15 m, □ >15 m							
3 LOCATE WELL							
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 60 ft.							
	SECTION BOX: Depth(s) Groundwater Encountered (1).38						
N WELL'S STATIC WATER LEVEL. 38ft. below land surface measured on mo/day/yr19.30:09							
Pump test data: Well water was 49							
EST. YIELD. 30gpm. Well water wasft. after hours pumping							
W         E   Bore Hole Diameterπ. toπ., andπ. toπ.							
WELL WATER TO BE USED AS:   Public water supply   Geothermal   Injection well							
SWSE   Domestic   Feedlot   Oil field water supply   Dewatering   Other (Specify below)							
Irrigation Industrial Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
1 mile  Water well disinfected?							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Of Glued Clamped Welded Threaded							
Casing diameter .5. in. to .60. ft., Diameter							
Casing height above land surface. 16							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel PVC Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter    Key punched    Wire wrapped    Saw cut     Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From 60 ft. to .20 ft., From ft. to ft.							
From							
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other							
Grout Intervals: From 20 ft. to .0 ft., From							
What is the nearest source of possible contamination:							
	tank 🔲 Lateral lin	es Pit privy	Livestock pe	ens 🔲 Insecticide		er (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well							
	om well						
FROM TO	LITHOLOG	IC LOG 1	FROM	TO LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
0 2	Top soil						
2 32	Gumbo clay						
30 38	Fine sand						
38 43	Sand rock						
43 50	Wet hard shale					*****	
50 60	Shale						
<del></del>	- January						
<del></del>	<del> </del>	<del></del>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was [2] constructed, [ ] reconstructed, or [ ] plugged under my jurisdiction and was completed on (mo/day/year) .1.0/30/99							
under my jurisc	liction and was completed or	n (mo/day/year) .1.9/39/9	9and	this record is true t	o the best of my k	nowledge and belief.	
Kansas Water Well Contractor's License No0199 This Water Well Record was completed on (mo/day/year) .11/19/09							
under the business name of Karst Water Well Drilling & Service, Inc by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three corries.							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdhcks.gov/waterwell/index.html.							
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							