WATE	R WEL	L RECORD	Form W	WC-5	Division of Water Resources App. No.		
		OF WATER WELL:	Fraction			ange Number	
	ty: Ellis		- 1/4 NE 1/4 SE			18 □E ☑W	
	treet/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information: 1. **Treet/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:						
	from nearest town or intersection: If at owner's address, check here			Latitude: .38,89475 (in decimal degrees) Longitude: 99.31848 (in decimal degrees)			
PVW-1/PAS-1S/PAS-1D					Elevation: 2.046 Datum:		
2 WATER WELL OWNER: Chevron				Collection Method:			
RR#, Street Address, Box #: 2700 NE Seward Ave.			GPS unit (Make/Model: Garmin Geko 101				
	State, Z	T Opera.	KS 66605		☐ Digital Map/Photo, ☐ Topographic Ma Est. Accuracy: ☐ <3 m,	ap, ☐ Land Survey 5 m, ☐ >15 m	
	3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 36.5 ft.						
	TION BO						
5201	N	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr10/2009					
	Pump test data: Well water wasft. after hours pumping gpm						
NV	EST. YIELD. <50gpm. Well water was						
W Bore Hole Diameter 14 in. to .36.5 ft., and in. to							
	Domestic Deadlot Doil field water supply Dewatering Other (Specify below)						
SW SE							
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							
S If yes, mo/day/yr sample was submitted							
water went distincted: Tes E 140							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .2*							
Casing height above land surface. 0. in., Weight 0.682*/0.315** lbs./ft., Wall thickness or gauge No. 0.188*/0.158**							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)							
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From .5							
From 32.5 ft. to 34.5(1") ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From . 5							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout							
Grout Intervals: From .0 ft. to .5 ft., From .19 ft. to .25 ft., From .29 ft. to .32 ft.							
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well unkown Distance from well unkown							
		LITHOLOG	IC LOG	FROM	from well unkown TO LITHO. LOG (cont.) or PLUGG		
FROM 0	TO 0.5	concrete	IC LOU	TROM	NOTE: *=2" casing & **=1" cas		
0.5	25	brown, silty clay w/ 0-5	 % sand		11012 2 dubing G - 1 das	S19	
25	32.5	gray brown, silty clay 1	· · · · · · · · · · · · · · · · · · ·				
		with three 0.1-1.0' sand					
32.5	37	tan, gravelly sand					
37	40	brown, clayey silt w/ 5-	10% sand				
			4				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .09/22/09 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 616 This Water Well Record was completed on (mo/day/year) 3/24/10 by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: White Copy, W Blue Copy, Pink Copy							