WATER WELL RECOR	SD .	Form WWC-5	Division of	of Water Resources App. N	Io.	
1 LOCATION OF WATER		v. strater	Section Nun		Range Number	
County: E///5	11 I a setion if an improve	1/4NE 1/4NE 1/4		T /3 S	R/S DE W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here				Global Positioning System (GPS) information:  Latitude:		
CARNER tol 26th CANTER BURY DR			Longitude: (in decimal degrees)  Longitude: (in decimal degrees)			
2528			Elevation:			
0. 90. 5. 6.11.0			_ <u>Datum</u> : 🔲 V	WGS 84, 🔲 NAD 83, 🗀	] NAD 27	
2 WATER WELL OWNER: ST STORY DR. RR#, Street Address, Box #: 25-8 CANTER DURY DR.			Collection M		,	
City, State, ZIP Code #A45 K3 4760/				t (Make/Model:		
	MINIO NO			$\underline{v}$ : $\square$ <3 m, $\square$ 3-5 m, $\square$		
3 LOCATE WELL		21.1				
		TED WELL			(0)	
SECTION BOX: Dep	Depth(s) Groundwater Encountered (1)					
	Pumn test data:	Well water was	. below land su ft after	riace measured on mo/c	lay/yr	
Pump test data: Well water was						
W Bore Hole Diameter						
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well						
Domestic   Feedlot   Oil field water supply   Dewatering   Other (Specify below)						
Industrial M. Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department?  Yes No						
S If yes, mo/day/yr sample was submitted						
water went districted? 12 1 es 1 100						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
Steel Stainless Steel PVC Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☒ Saw cut ☐ Other (specify)						
SCREEN-PERFORATED INTERVALS: From 1.5. ft. to 3.4. ft., From 1.5. ft. to 1.5.						
From ft. to ft. From ft. to ft.						
GRAVEL PACK INTERVALS: From 4.4. ft. to 3.0. ft., From ft. to ft.						
From ft., From ft. to ft.						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination:  Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines						
▼ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well						
Direction from well . Wes			from well	£2!		
	LITHOLOGIC LOG	FROM	TO LITI	HO. LOG (cont.) <u>or</u> PLU	JGGING INTERVALS	
O & Tors						
2 24 0/44	V S					
24 31 5189	H SANDS	1.7				
, , , , , , , , , , , , , , , , , , , ,	"MIZIUM SA GRAUZ				AND	
39 45 SHALE				***************************************		
	TWINGSTON AND THE STATE OF THE					
					A WANTED	
			K	10		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was A constructed, reconstructed, or plugged						
under my jurisdiction and was completed on (mo/day/year) 2/5/12 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 47.8 This Water Well Record was completed on (mo/day/year)						
under the business name of framing large water with the large by (signature) by (signature) by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420 Fopeka, Kansas 66612-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/inde	ex.ntml.	White PARE STANCE AND ADDRESS		iline		
INCLE UMM IMIM				" " " " " " " " " " " " " " " " " " "	CTRINET AND LEASE	