1 I OCATIO	N OF WATER	S /V/EII ·		TIETOTIO	1 0000	ion Number	Township Nu	mher T	Pange N	lumber
				4 SW 14 N		27	T 13		R 1	Base control
County:	direction from	n pagreet toy	n or city street	address of well if locate	ad within city?	<u> </u>	13	9]	H I	O VV
	St Hays		in or city street	address of well if locate	ed Within City!					
	VELL OWNER		n Ox							
	ress, Box #						Board of Agric	ultura Divici	on of Water	Resources
nm#, ol. Auu Nitu Ctata 7	ID Code	Have	KS 67601				Application Nu	•	OII OI Water	nesources
LOCATE	WELL'S LOC	ATON WITH	1.1							
AN "X" IN	SECTION BO	OX:	DEPTH O	F COMPLETED WELL	30	ft. ELE	VATION:	2046.	43 (TOC)	
A			Depth(s) Grou	undwater Encountered	1 25	5 fi	. 2	ft. 3		ft. 14/12
		NF	WELL'S STAT	TIC WATER LEVEL	21.60 ft.	below TOC	measured on mo/d	ay/yr	02/1	4/12
Х	i	1	Pu	ımp test data: Well wa	ater was	1	ft. after	hours pu	mping	gpm
∯ w		i E	Est. Yield	gpm: Well wa	ater was		ft. after	hours pu	mping	gpm
<u>-</u>			Bore Hole Dia	meter 14 in t	o 3 (D	ft. and	in.	to	ft.
	·sw	SE	WELL WATER	R TO BE USED AS: 5	Public water s	upply	8 Air condition	ning 11	Injection we	əli
		i I	1 Dome	umeter 14 in. to R TO BE USED AS: 5 stic 3 Feed lot 6	Oil field water	supply	9 Dewatering	12	Other (Spec	cify below)
¥			2 Irrigati	ion 4 Industrial 7	Lawn and gard	den (domesti	c) 10 Monitoring	well		
	S		Was a chemic	cal/bacteriological samp	le submitted to I	Department?	Yes No X	If yes, ı	no/day/yr sa	mple was
			submitted			Wa	ater Well Disinfecte	d? Yes	No	X
5 TYPE OF	BLANK CAS	ING USED:		5 Wrought Iron	8 Concr	ete tile	CASING JOIN	ITS: Glued	Cla	mped
			(SR)	6 Asbestos-Cem				Welde		
2 PV/)	4 ABS		7 Fiberglass				CONTRACTOR OF THE OWNER, THE	THE PROPERTY OF THE PROPERTY AND THE	lush
Dienie en electric			im to	15 ft., Dia	In i		# Dia		in to	f4
Biank casing	diameter	y	in. to	π., μα	n. 702	(O	II., Dia	Na	III. 10	j 40
Casing heigh	nt above land	surface	U	in., weight	U./US	IDS./ft.	wall thickness or	gauge No.	3UI	1. 40
		ERFORATIO	N MATERIAL:		L7_	PVC	10 Asbe	estos-cemer	IT	
1 Stee		3 Stainle	ess steel	5 Fiberglass 6 Concrete tile	8	ABS	11 Othe	er (specity) e used (ope		
2 Bras			nized steel NGS ARE:				8 Saw cut			nen hole)
	tinuous slot		Mill slot	CHANCES ROTTON CONTROL OF STATE OF STAT	/ire wrapped		9 Drilled holes		i i ivone (o	peri fiole)
		Mich Combitate		THE PERSON NAMED IN THE PE	orch cut					
			Key punched				10 Other (spec	···y)		
ouncen-Pt	ERFORATED	INTERVALS		15 ft. to						
		Todo boo hart 111 or	i-rom	ft. to	20		rrom	π. το)	t.
GRA	VEL PACK II	NTERVALS:		13 ft. to						
				ft. to		tt.	From	tt. to)	
				2 Cement grout						
Grout Interve	als From	1	ft. to1	ft. From						
What is the I	nearest sourc	e of possible	contamination:	:			stock pens			
			4 Lateral lin				storage			
2 Sev	ver lines		5 Cess poo	l 8 Sew	age lagoon	12 Fert	lizer storage	16 Oth	er (specify b	elow)
3 Wa	tertight sewer	lines	6 Seepage	pit 9 Feed	dyard	13 Inse	cticide storage			
Direction fro						How man				
FROM	TO	CODE		HOLOGIC LOG	FROM	TO	PL PL	UGGING IN	TERVALS	····
0 1	1 24		psoil	orown to gray-brown						
24	30			ined, gray to light br						
	30	36	ariu, iiie gra	ineu, gray to light bi	OWII		<u> </u>	·····		
	 	 . -								
			· · · · · · · · · · · · · · · · · · ·							
					GPS: Latitude: 38.89587					
							Longitude: 9	<u> 99.31756</u>		
7 CONTR	ACTOR'S OR	LANDOWN	ER'S CERTIFIC	CATION: This water wel	l was (1) constru	icted, (2) red	constructed, or (3) p	lugged unde	r my jurisdict	tion and was
completed of	on (mo/day/yr)	0:	3/30/12	and t	his record is	true to the best of	, my knowled	ge and belie	f. Kansas
	Contractor's I	: NI-		E21			Record was comple	•	_	
	usiness name		Geotech	nical Services In		y (signature	// //:	V 2.		
INSTR	UCTIONS:. PI	ease fill in blar	ks and circle the	correct answers. Send th	ree copies to Kar	sas Departm	ent of Health and En	/ironment, Bu	reau of Wate	r, 1000 S W
lookoo	n St Sta 420	Tonaka Kana	ac 66612-1367	Telephone: 913-296-55/	15 Send one to V	VATER WELL	OWNER and retain	one for your	records	