WATER WE	LL RECORD	Form WW	<u>/C-5</u>		r Resources App. N		
	N OF WATER WELL:	Fraction SW 1/4 SW 1/4 SW	1/4 1/4	Section Number 30		Range Number R 18 □E ☑W	
Street/Dural	Address of Well Location;	if unknown distance &	Global Positioning System (GPS) information:				
from negrees	town or intersection. If at	owner's address, check h	Latitude: (in decimal degrees)				
from nearest town or intersection: If at owner's address, check here .				Longitude: (in decimal degrees)			
				Elevation:			
				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Jon Hauxwell				Collection Method:			
RR#, Street Address, Box #: 1335 Central			GPS unit (Make/Model:)				
City, State, ZIP Code : Havs. Ks 67601			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m							
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 65. ft.							
SECTION BOX: Depth(s) Groundwater Encountered (1).33							
WELL 5 STATIC WATER LEVEL							
Pump test data: Well water was							
EST. YIELD. 20gpm. Well water was							
W Bore Hole Diameter 10in. to .65ft., andin. toft.							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
WELL WATER TO BE USED AS. Public water supply Geotherinal Injection wen SWSE							
Was a chemical/bacteriological sample submitted to Department? Yes M No							
S If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected? ☑ Yes □ No							
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded							
Casing diameter .5 in. to .65 ft., Diameter in. to ft., Diameter ft.							
Casing height above land surface. 24 in., Weight 2.91 lbs./ft., Wall thickness or gauge No21							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
GRA	VEL PACK INTERVALS:						
		From ft.	to	ft., From	ft.	to ft.	
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other							
Grout Intervals: From .20 ft. to .0 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
Septic tank							
Sewer			Fuel storage				
	ght sewer lines Scepage pom well		Fertilizer sto			•••••	
	I ITHOLOG	TCT OC		rom well		ICCDIC DIFFERENCE	
	LITHOLOG	IIC LOG	FROM	TO LITHO. LO	JG (cont.) or PLC	JGGING INTERVALS	
0 2	Top Soil						
2 15	Gumbo clay						
15 17	Black dirt						
17 29	Gumbo clay						
29 43	Sand						
43 50	River mudd						
50 52	Sand						
52 75	shale				777		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo/day/year) .08/14/12 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 0199 This Water Well Record was completed on (psetdat/year) 09/14/12							
under the busin	ess name ofKarst.Water	Well Drilling & Service	e, inc	by (signature)	See	1 3 14	
INSTRUCTIONS	: Use ty pewriter or ball point pen	. PLEASE PRESS FIRMLY a	nd <i>PRINT</i> clea	rlv. Please fill in blanks	and check the correct	t answers. Send three copies	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at							