WATE	R WEI	LL RECORD	Form W	WC-5	Division of Wate	r Resources App. No		
		OF WATER WELL:	Fraction				Range Numl	
	nty: Ellis		SW 1/4 SW 1/4 SE					E ZW
		Address of Well Location;			Global Positioning			
from	nearest	town or intersection: If at	owner's address, check	Latitude: (in decimal degrees)				
				Longitude: (in decimal degrees) Elevation:				
2 WATER WELL OWNER: Harold Plymill					Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
RR#, Street Address, Box #: 1314 Douglas					GPS unit (Make/Model:)			
City, State, ZIP Code : Havs, KS 67601					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
					Est. Accuracy: <	3 m, 🔲 3-5 m, 🔲 :	5-15 m, 🔲 >1	.5 m
	CATE WE	LL A DEPTH OF	COMPLETED WELL	52	Α.			
	TH AN "X TION BO	"IN 4 DEFINOR  N: Denth(s) Groun	dwater Encountered	(1) <b>2</b> 5	H. (2)	A (3	0	· A
SEC	N	VATO 2' I TAVE	TC WATER LEVEL?	γ	helow land surface t	measured on mo/da	v/vr 09/18/1	10. 12
	<del> </del>	Pum	p test data: Well wate	r was	ft after	hours numn	ing	gnm
,,	<u>'</u>   .	LECT MEID 1	5gpm. Well water					
w   N	W N		neter 10in. to .					or Or
l "	<del>                                     </del>		R TO BE USED AS:					
SW SE Domestic    Feedlot    Oil field water supply    Dewatering    Other (Specify below)								
A      Litrigation   Industrial   Domestic-lawn & garden   Monitoring well								
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No								
S If yes, mo/day/yr sample was submitted								
	1 MMC	Water well dist						
5 TYPE OF CASING USED: Steel V PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5 in. to .52 ft., Diameter in. to ft., Diameter in. to ft., Diameter ft.								
Casing height above land surface. 18 in., Weight 2.91 lbs./ft., Wall thickness or gauge No21								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From52								
From								
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other								
What is the nearest source of possible contamination:								
Septic tank								
	] Sewer li	nes 🔲 Cesspool	Sewage lagoon	Fuel storage	e	water well	. (.)	,
		ht sewer lines		Fertilizer st			•••••	
		n well			from well			
FROM	<del></del>	LITHOLOG	JIC LOU	FROM	TO LITHO, LO	OG (cont.) or PLUC	JUING INTE	KVALS
0	3	Top Soil						
3	12	Gumbo clay						
12	15 28	Sandy clay						
15	32	Sandy rock		<b>-</b>				<del></del>
28 32		Sandy gumbo Sand	······································					
40	40 52	Shale						· · · · · · · · · · · · · · · · · · ·
40	UZ.	Oi laic						<del></del>
-	<del> </del>		· · · · · · · · · · · · · · · · · · ·					
7 CON	TRACT	DR'S OR LANDOWNE	R'S CERTIFICATION	V. This water	r well was M const-	ucted Traconst-	cted or 🗀 =1	nagad
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged under my jurisdiction and was completed on (mo/day/year) .09/18/12 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 0199 This Water Well Record was completed on (more sylvess) 09/19/12								
under the business name ofKarst Water Well Drilling & Service, Inc by (signature)								
INSTRU	CTIONS:	Use typewriter or ball point per	n. PLEASE PRESS FIRMLY	and PRINT cle	arty. Please fill in blanks	and check the correct	answers. Said	ree copies
		Kansas Depar tment of Health						
reichnon	c /63-296-	5524. Send one copy to WA	LEK WELL UWNEK and f	can one for y	our records. Include fee	of \$5.00 for each con	structed well.	vi sit us at