WATED WELL DE	COPD	Form W	WC-5	D	ivision of Wate	r Resources App. N	MW-07	
WATER WELL RECORD 1 LOCATION OF WATER WELL: 1		Fraction Fraction			ion Number	Range Number		
County: Ellis		SE 1/4 SE 1/4 SE	1/4 1/		28	Township No. T 13 S	R 18 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & dire				<u> </u>	al Positionine	System (GPS) is		
from nearest town or intersection: If at owner's address, check here .					Latitude: 38.8869 (in decimal degrees)			
	-			Long	Longitude: 99.3205 (in decimal degrees)			
201 W. 29th Street, Hays, KS 67601					Elevation:			
A WARREN WELL OWATED					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: JC Penney RR#, Street Address, Box #: 2900 Vine Street					Collection Method: GPS unit (Make/Model: Google Earth			
at a small					Digital Map/Photo, Topographic Map, Land Survey			
City, State, ZIP Code : Hays, KS 67601					Est. Accuracy:			
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 57.0"								
SECTION BOX: Depth(s) Groundwater Encountered (1)								
N WELL'S STATIC WATER LEVEL 51.55 ft. below land surface measured on mo/day/yr10/9/14								
Pump test data: Well water wasft. after hours pumping gpm								
EST. YIELDgpm. Well water was								
W E Bore Hole Diameter?								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well								
S If yes, mo/day/yr sample was submitted								
Water well distillented: [] Tes eg two								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 2.0" in. to								
Casing diameter 2.0" in to ft., Diameter in to ft., Diameter in to ft.								
Casing height above land surface. Flush in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Gother (Specify)								
☐ Steet ☐ Stainless Steel ✔ PVC ☐ Other (Specify)								
SCREEN OR PERFORA	ATION OPENING	S ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATE	D INTERVALS:							
		From	ft. to		ft., From	ft.	to ft.	
GRAVEL PAC							to ft.	
CONTRACTEDIA	(From.	R. 10		ft., From	ft.	to ft.	
6 GROUT MATERIAL Grout Intervals: From	L: LINearceme	ant Cement grou	a Wisemac ~ 40°	ome y	7 Ouner 	E	A 4- A	
What is the nearest source			u .x.y	и ю	IL,	гюш	п. то	
What is the nearest source ☐ Septic tank		es Pit privy	Livestock	nene	☐ Insecticide		ner (specify below)	
Sewer lines	Cesspool	Sewage lagoon			Abandone		ics (specify octom)	
☐ Watertight sewer		_ ~ ~	Fertilizer	•	Oil well/ga		•••••	
Direction from well			. Distance	from w			** ***	
FROM TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
See B	oring Log		0	4.0	Topsoil			
			4.0	57.0'	3/8 Benton	ite Chips		
							La B. odon	
					6	mighted beauty	ned to Exide	
							A NATIONAL	
						771		
					1		w	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) 10/09/2014 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 606 This Water Well Record was completed on (mo/day/year) 02/18/2015								
Kansas Water Well Cont	ractor's License N	o 506 This	Water Well F	Record v	vas completed	on (mo/day/year)	02/18/2015	
under the business name	of P.SA Environ	imental		by (signature)			
INSTRUCTIONS: Use typew (white, blue, pink) to Kansas	vriter or ball point pen Department of Maniel	and Favirone Press FIRML	I and <u>PRINT</u> d	carly. Pla	one 1000 SW L	and obeck the correct	t answers. Send three copies	
Telephone 785-296-5522. Sea	ad one copy to WAT	ER WELL OWNER and	retain one for	AOM. 1200 Par 2000	rds. Inchede fer	on \$5.00 for each c	constructed well. Vieit us at	
http://www.kdheks.gov/waterw	ell/index.html							
KSA 82a-1212				C	heck: Wi	nite Copy, 🔲 Bl	ne Copy, Pink Copy	