L. C.				WELL RECORD	Form WV							
LOCATION OF WATER WELL:			Fraction			Section Number	1	hip Number	Ran	ge Num	\sim	
County:			SW 1/4		SE 1/4	32		<u>13 s</u>	R	18	E(W)	
Distance a	and direction	from nearest town of	or city street ac	dress of well if loc	ated within o	ity?					_	
Fort H	avs State	University Moto	orpoo1									
		VNER: Fort Hays		ersity								
		× # : Building					Boar	d of Agriculture,	Division of	Water I	Resource	
1		Hays, Kar		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				cation Number:	D11101011 01	· · · · · ·	710000.00	
					21							
I LOCAT	IN SECTIO	OCATION WITH 4										
		N De	epth(s) Ground	water Encountered	1	ft.	2	ft. :	3 <i></i>	· · · · · •	ft.	
Ī	!	l l Wi	ELL'S STATIC WATER LEVEL . 16.34 ft. below land surface measured on mo/day/yr									
	NW	NE	Pump	test data: Well w	ater was .	ft.	after	hours pi	umping		gpm	
	1	Es	st. Yield	gpm: Well w	ater was .	ft.	after	hours po	umping	<i></i>	gpm	
	i		re Hole Diameter7. 5/8in. to									
iš w	1			O BE USED AS:		water supply						
-	i		1 Domestic	3 Feedlot		,		-	ng 11 Injection well 12 Other (Specify below			
-	SW	X - SE	2 Irrigation									
	!	!	•	4 Industrial		and garden only						
∫ <u>ł</u> L	!			acteriological samp	ie submitted					·Y	e was sub	
F		·	tted					nfected? Yes		<u> </u>		
		CASING USED:		5 Wrought iron		oncrete tile		G JOINTS: Glue	ed	Clamped	d	
1 St		3 RMP (SR)		6 Asbestos-Ceme		ther (specify belo	,		ded			
(2)P		4 ABS		7 Fiberglass					aded			
Blank cas	ing diameter	2 in.	to 11	ft., Dia	.i e	n. to	ft., Dia .		in. to		ft.	
Casing he	ight above l	and surface	D	in., weight		lbs	./ft. Wall thick	ness or gauge N	۱o	sch 40		
1		R PERFORATION M			G	Pvc		Asbestos-cem				
1 St	eel	3 Stainless st	eel	5 Fiberglass		RMP (SR)		1 Other (specify				
2 Br		4 Galvanized		6 Concrete tile		ABS		2 None used (or	-			
		RATION OPENINGS			uzed wrappe		8 Saw cut	•	11 None	(onen	hala)	
	ontinuous sk				• • •	, u			II NOHE	(open	note)	
1		~			re wrapped		9 Drilled h					
	ouvered shut	, ,			rch cut			pecify)				
SCREEN-	PERFORAT	ED INTERVALS:		$1\ldots$ ft. to								
				ft. to								
,	GRAVEL PA	CK INTERVALS:	From	9 ft. to	. 1 1		om	ft.	to		ft.	
			From	ft. to)	ft., Fro	om	ft.	to		ft.	
6 GROU	T MATERIAL	.: 1 Neat cem	nent (:	2)Cement grout	(3)₽	entonite 4	Other					
Grout Inte	rvals: Fro	m ft.	to 7	ft., From	7	ft. to9	ft., Fro	om	ft. to .		ft.	
What is th	ne nearest so	ource of possible con	ntamination:			10 Live	stock pens	14 /	Abandoned	water w	well	
1 Septic tank 4 Lateral li			nes 7 Pit privy			^	storage	15 (15 Oil well/Gas well			
2 Sewer lines 5 Cess poo			' '				ilizer storage		16 Other (specify below)			
1		er lines 6 Seepage		9 Feedyard	-		cticide storage		oniei (spec	ily Delo	••,	
1	from well?	rei mies o ocepage	, pit	3 reedyard			•					
FROM	TO		LITHOLOGIC I	OG	FRO		any feet?	PLUGGING	INTERVAL	2		
0	12'			org mat to 1'		" - 10		7 20001110		<u> </u>		
	18'				 							
12'		Cly, It brn.										
18'	21'			isnd, trofsn	ia							
		szd calic c	ists, ext s	ty								
										· · · · · · · · · · · · · · · · · · ·		
												
							M.IO	Fluch Mount	CONON			
<u> </u>								Tush Mount cover				
							Don	「aylor				
ļ												
7 CONTI	RACTOR'S	OR LANDOWNER'S	CERTIFICATIO	ON: This water well	was (1) cor	structed, (2) rec	onstructed, or	(3) plugged un	der my juri	isdiction	and was	
		/year)						he best of my kr	nowledge a			
		s License No							9-94			
under the									77 1			
	business na	me of Gantinma	Services	Inc.		by (sign:	ature) 🗡	Jala D.	P			
INSTRI		me of GeoLone pewriter or ball point pen.	Services,		Please fill in bl	by (signa		John Ry	e copies to Ka	ansas Den	artment	