

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Ellis	SE 1/4 NW 1/4 SE 1/4	11	T 13 S	R 19 EW

Distance and direction from nearest town or city street address of well if located within city?
 2 1/4 mile north, 4 miles west, 1/4 mile north of Hays, Kansas

2 WATER WELL OWNER: Ellis County Feeders
 RR#, St. Address, Box # : P.O. Box 310 Board of Agriculture, Division of Water Resources
 City, State, ZIP Code : Hays, Kansas 67601 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 50 ft. ELEVATION: Valley
	Depth(s) Groundwater Encountered 1. 15 ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 4 ft. below land surface measured on mo/day/yr 1/26/96
	Pump test data: Well water was 14 ft. after 1 hours pumping 30 gpm
	Est. Yield 30 gpm: Well water was 15 ft. after 7 hours pumping 30 gpm
Bore Hole Diameter 12 in. to 50 ft., and in. to ft.	
WELL WATER TO BE USED AS: 3 5 Public water supply 8 Air conditioning 11 Injection well	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes.....No...X.....; If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes X No	

5 TYPE OF BLANK CASING USED: 2	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter 5 in. to 30 ft., Dia in. to ft., Dia in. to ft.		Casing height above land surface 24 in., weight 2.29 lbs./ft. Wall thickness or gauge No. 26	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7		7 PVC 10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE: 8		5 Gauzed wrapped 8 Saw cut 11 None (open hole)	
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 50 ft. to 20 ft., From ft. to ft.		From ft. to ft., From ft. to ft.	
GRAVEL PACK INTERVALS: From 20 ft. to 50 ft., From ft. to ft.		From ft. to ft., From ft. to ft.	

6 GROUT MATERIAL: 3 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination: None

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	4	Topsoil			
4	8	Gumbo			
8	15	Gumbo, white rock mix			
15	30	Loose white rock, sand mix			
30	34	Gumbo			
34	50	Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2/26/96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 199 This Water Well Record was completed on (mo/day/yr) 3/19/96 under the business name of Karst Water Well Drilling & Service, Inc. by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY T R EW SEC 1/4 1/4 1/4