	. WAT	TER WELL RECORD	orm WWC-5	KSA 82a	-1212		<i></i>
LOCATION OF WA		1/4 SE 1/4 NE		tion Number	Township		Range Number
stance and direction 1/8 Sou	from nearest town or city street th of Yocemento, Kan	address of well if located	within city?				
WATER WELL OV	VNER: Gary Hammersm	nith					
R#, St. Address, Bo	x # : 201 East 15th	Street			Board of	f Agriculture, Divisi	on of Water Resource
y, State, ZIP Code	: Hays, Kansas	67601			Applicati	ion Number:	•
LOCATE WELL'S L	OCATION WITH 4 DEPTH OF	COMPLETED WELL	50	ft. ELEVA	TION:Va	lley	
AN "X" IN SECTIO	N BOX: Depth(s) Groun	ndwater Encountered 1.	33	ft. 2		ft. 3	
1	WELL'S STAT	IC WATER LEVEL 35	2 ft. b	elow land surf	ace measured	on mo/day/yr . 🚉	/28/1982
1	. Pu	mp test data: Well water	was	35 ft. af	ter <del>]</del>	hours pumpin	g 100 gpm
NW		.O.O gpm: Well water					
i	Bore Hole Dian	meter9in. to .	50		and	in. to	- 
w	I WELL WATER	TO BE USED AS: 1 5	Public water	er supply	8 Air conditioni	ng 11 Injec	tion well
l l	1 Domesti	ic 3 Feedlot 6	Oil field wa	ter supply	9 Dewatering	12 Other	r (Specify below)
sw	2 Irrigation	n 4 Industrial 7	Lawn and	garden only 1	0 Observation	well	
i	Was a chemica	al/bacteriological sample su	bmitted to D	epartment? Ye	sNo	X; If yes, mo/o	day/yr sample was su
	ş mitted			Wat	er Well Disinfed	cted? Yes X	No
TYPE OF BLANK	CASING USED: 2	5 Wrought iron	8 Concre	ete tile	CASING J	IOINTS: Glued 🕱 .	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other	(specify below	<b>'</b> )	Welded	
2 PVC	4 ABS	7 Fiberglass				Threaded.	
ank casing diameter	r5in. to .40						
sing height above I	and surface	in., weight 200	· · · · · · · · · · · ·	Ibs./f	t. Wall thicknes	s or gauge No	21
PE OF SCREEN C	OR PERFORATION MATERIAL:	7	_ 7 PV	C	10 A	sbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RM	IP (SR)	11 C	other (specify)	
2 Brass	4 Galvanized steel	6 Concrete tile	9 AB	S	12 N	lone used (open he	ole)
REEN OR PERFO	RATION OPENINGS ARE: 8	5 Gauze	d wrapped		8 Saw cut	11	None (open hole)
1 Continuous sk	ot 3 Mill slot	6 Wire w	rapped	_	9 Drilled hole	- S	
2 Louvered shut		7 Torch					
REEN-PERFORAT	ED INTERVALS: From 共の	)ft. to	50	ft., Fron	n	ft. to	
	From	ft. to	٠٠٠. زير٠٠٠.	ft., Fron	n	ft. to	
GRAVEL PA	ACK INTERVALS: From 29	ft. to	9٠	ft., Fron	n	ft. to	
	From	ft. to		ft., Fron			ft
GROUT MATERIA		2 Cement grout	3 Bento				
	omQft. to1.Q		ft.				
	ource of possible contamination:			10 Livest	•		oned water well
· ·	4 Lateral lines	7 Pit privy		11 Fuel s	-	15 Oil wel	
2 Sewer lines	5 Cess pool	8 Sewage lagor	on		zer storage	16 Other	(specify below)
_	ver lines 6 Seepage pit	9 Feedyard			icide storage		
rection from well? FROM TO	I UTUOLOGI	2.1.00	FROM	How man	y feet?	LITUOLOGIO LA	20
0 3	Topsoil LITHOLOGK	2 LOG	FROM	то		LITHOLOGIC LO	<u> </u>
3 10	White rock						
10 33	Brown clay			-			
33 47	Sand			-			
47 50							
41 30	Blue shale		<u> </u>				
			<b> </b>				
<del></del>	<del>                                     </del>		<b> </b>	<del>                                     </del>			
			<del> </del>			<del> </del>	
			<del> </del>	<del></del>			
	<del> </del>		ļ				
				ļ			
			<b>_</b>				
			L			-	
	OR LANDOWNER'S CERTIFICA						
mpleted on (mo/day	year) January 28, 19	9.82		and this recor	d is true to the	best of my knowled	lge and belief. Kansas
ater Well Contractor	s License No. 199. The of Water Well	This Water We	ll Record wa	s completed o	on (mo/day/yr)	February 1	1982
der the business na	me of Water Wel.	l Service		by (signat	ure) ////	Lust	
STRUCTIONS: Use	typewriter or ball point pen, PLEA	ASE PRESS FIRMLY and	PRINT clear	y. Please fill in	blańks, underli	ne or circle the corr	ect answers. Send to
e copies to Kansas NER and retain or	Department of Health and Environge for your records.	nment, Division of Environn	nent, Environi	mental Geolog	y Section, Topel	ka, KS 66620. Send	ONE TO WATER WEL