

1	LOCATION OF WATER WELL: County: <u>Ellis</u>	Fraction <u>SW 1/4 SE 1/4 SW 1/4</u>	Section Number <u>30</u>	Township Number <u>T 13 S</u>	Range Number <u>R 19 E/W</u>
---	---	---	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?
1337 Grand St HAYS

2	WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code	<u>John & Moody</u> <u>1337 Grand St</u> <u>HAYS, KS 67401</u>	Board of Agriculture, Division of Water Resources Application Number:
---	---	--	--

3	LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4	DEPTH OF COMPLETED WELL	ELEVATION:
---	--	---	-------------------------	------------

Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL 29 ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	8 Air conditioning	11 Injection well
2 Irrigation	4 Industrial	7 <u>Domestic (lawn & garden)</u>	9 Dewatering	12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No

5	TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
---	----------------------------	----------------	-----------------	--

Blank casing diameter in. to ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface in., weight Sch 40 lbs./ft. Wall thickness or gauge No. 4.0

1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
2 <u>PVC</u>	4 ABS	7 Fiberglass		Threaded <input checked="" type="checkbox"/>

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless Steel	5 Fiberglass	8 <u>PVC</u>	10 Asbestos-Cement
2 Brass	4 Galvanized Steel	6 Concrete tile	9 RMP (SR)	11 Other (Specify)
			9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 <u>Saw cut</u>	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 4.3 ft. to 3.3 ft.

GRAVEL PACK INTERVALS: From 4.3 ft. to 3.3 ft.

6	GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 <u>Bentonite</u>	4 Other
---	-----------------	---------------	----------------	--------------------	---------------

Grout Intervals: From 3.3 ft. to 3 ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
					TALK TO Pam CHAFFEC
					on 3-11-19 at 2:40 PM
					GAVE me an OK

7	CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) <u>reconstructed</u> , or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>7-21-19</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No <u>424</u> This Water Well Record was completed on (mo/day/yr) <u>7-17-19</u> under the business name of <u>Town & Country Water Well</u> by (signature) <u>Pat Rec</u>
---	---